

tkrom[®]
pinturas



**NEW CONSTRUCTION
AND REFURBISHMENT**


CATALOGUE
2024

*From professional
to professional*

tkrom[®]
pinturas

**Hunt, combine and
visualise any
colour that crosses
your path.**

**Download the App
tkrom paints free of charge**



Mensajes



tkrom pinturas



Podcasts



Disponible para dispositivos móviles y tablets



OUR HISTORY

1993

Construction of the EUPINCA water-based paint factory in Castellón. Marketing of paint under the tkrom brand.

The Anadeco Group is born, the first purchasing centre for the decoration sector in Spain.

1999

1995

Relocation to the Cartagena facilities. More than 20,000 m² for the formulation, manufacture and packaging of our paints.

2003

Acquisition of the advanced automated system for the manufacture of solvent-based coloured paints. Extension of 7,500 m² of the logistics centre.

With more than 30 million kilos produced, we are the third largest manufacturer in Spain.

2007

Incorporation in our production system of the INFINITY COLORS industrial water-based dyeing system.

2016

Rebranding of Eupinca and Anadeco, giving rise to the current Tkrom Group.

2017

Expansion and modernisation of the solvent coating plant for the production of primers, enamels, varnishes and solvents.

2022





+12.000
References



27.000
m² of facilities



Workers **97**
direct



220
points of sale

grupotkrom[®]

INTERNATIONAL PRESENCE

Portugal, France, Algeria, Senegal,
Cameroon, Morocco, Cuba and Venezuela



OUR BRANDS

At tkrom group we work every day to offer our distributors a range of products of the highest quality, always in line with the latest technological advances and adapted in taste to the demands of the market. We believe that the best way to achieve this objective is by launching an assortment of specialised brands on the market.

Betting on our brands is always synonymous with success.



The specialised line of wood treatments.



Entry-level solutions for the professional sector.



The widest range of paints designed by and for the professional.



Wide range of laminate flooring solutions and accessories.



Specific products for the repair of supports.

INDEX

1. RECLADDING FOR
FACADES

PAG. 8

2. WATERPROOFING
ROOFS

PAG. 22

3. PAINTINGS
DECORATIVE

PAG. 26

4. PAINTS
ECOLOGICAL

PAG. 38

5. SPECIAL
PAINTS

PAG. 42

6. PRIMING / FINISHING
DECORATION

PAG. 50

7. TREATMENTS FOR
WOOD

PAG. 58

8. SPORTS
FACILITIES

PAG. 64

9. PAINT ON
SPRAY PAINT

PAG. 64

10. FILLINGS AND
PUTTIES

PAG. 72

11. ADDITIVES AND
FIXATIVES

PAG. 82

12.
DYES


PAG. 86

13.
SOLVENTS

PAG. 87


1. RECLADDING FOR FACADES

- 1.1 SMOOTH FACADES
- 1.2 ELASTIC FACADES
- 1.3 ROUGH FACADES
- 1.4 SATE
- 1.5 EXTRA PROTECTION

 Product integrated in the tkromatic tintometric system.

 Contribute to obtaining sustainable building certificates

 Water repellent technology.

 High strength and maximum adhesion pliolute resins.

1.1 SMOOTH FACADES

THE MOST COMPLETE AND EFFECTIVE RANGE WITH THE BEST SOLUTIONS FOR THE PROTECTION AND DECORATION OF FACADES.

ACRYPLAS REVESTIMIENTO PÉTREO PROFESIONAL

- ✓ Good hardness and adhesion to the different materials used in construction.
- ✓ Touch dry: 30 min
Recoating: 6h




QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

WHITE	
15L	✓
4L	✓

Codification on p.92

ACRYPLAS REVESTIMIENTO LISO PROFESIONAL

- ✓ Good hardness and adhesion to the different materials used in construction.
- ✓ Touch dry: 30 min
Recoating: 6h



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

WHITE	
15L	✓
4L	✓

Codification on p.92

REVESTIMIENTO PÉTREO

✓ Waterproof, breathable coating with very good hardness and adhesion.

✓ Touch dry: 30 min
Recoating: 6h



EPD[®]



5 YEARS OF WARRANTY

CE EUROPEAN MARKING

CONSERVATIVE ANTIMOLD

COLOURS STOCK

4-7 m²/l PERFORMANCE PRODUCT

QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

	WHITE	COLOURS	BASE BL	BASE TR
15L	✓	✓	✓	✓
4L	✓	✓	✓	✓

Codification on p.92

CARRARA R50 LISO

✓ Waterproof, breathable coating with very good hardness and adhesion.

✓ Touch dry: 30 min
Recoating: 6h



5 YEARS OF WARRANTY

CONSERVATIVE ANTIMOLD

5-7 m²/l PERFORMANCE PRODUCT

QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

	WHITE
15L	✓
4L	✓

Codification on p.92

REVESTIMIENTO PÉTREO SILOXANO

✓ Self-cleaning coating that repels water and dirt from the facade surface.

✓ Touch dry: 30 min
Recoating: 6h



EPD[®]



7 YEARS OF WARRANTY

CE EUROPEAN MARKING

CONSERVATIVE ANTIMOLD

4-7 m²/l PERFORMANCE PRODUCT

QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

	WHITE
15L	✓
4L	✓

Codification on p.92

SUPERCARRARA LISO



EPD®



✓ Vinyl protection highly resistant to alkalinity and atmospheric agents.

✓ Touch dry: 30 min
Recoating: 6h



10
YEARS OF WARRANTY

CE
EUROPEAN MARKING

CONSERVATIVE ANTIMOLD

COLOURS STOCK




7-9 m²/l
PERFORMANCE PRODUCT



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

	WHITE	COLOURS	BASE BL	BASE MD	BASE TR
15L	✓	✓	✓	✓	✓
4L	✓	✓	✓	✓	✓
1L	•	•	✓	✓	✓

Codification on p.92



- Colours in stock available in the SUPERCARRARA LISO finish.
- Colours in stock available in the PETREOUS COATING finish (*).
- The colours shown are for guidance only.
- To see the exact colour, please visit an official point of sale.

tkrom[®]

pinturas

DISCOVER OUR RANGE OF COATINGS

YOUR ONLY CONCERN WILL BE
TO MATCH THE COLOUR OF YOUR FACADE
WITH YOUR NEIGHBOUR'S CURTAIN.



REF. COLOR: F958



grupo
tkrom[®]

tkrom.com



SUPERCARRARA LISO SILOXANO

✓ Highly alkali-resistant vinyl protection with self-cleaning action repels water and dirt from the facade surface.

✓ Touch dry: 30 min
Recoating: 6h

WATER-REPELLENT TECHNOLOGY

WHITE CALIBRATED

LOW MEDIUM GOOD VERY GOOD EXCELLENT

COVER

WATERPROOF

OF THE SUPPORT

12

YEARS OF WARRANTY

CE

EUROPEAN MARKING

CONSERVATIVE ANTIMOLD

ACTION SELF-CLEANING

7-9 m²/l
PERFORMANCE PRODUCT

QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

WHITE	
15L	✓
4L	✓

Codification on p.92

SUPERCARRARA LISO EXTRA 10

✓ 100% acrylic coating, high quality, with a high resistance to UV rays.

✓ Touch dry: 30 min
Recoating: 6h

CHOOSE A COLOUR

LOW MEDIUM GOOD VERY GOOD EXCELLENT

COVER

WATERPROOF

OF THE SUPPORT

15

YEARS OF WARRANTY

CE

EUROPEAN MARKING

CONSERVATIVE ANTIMOLD

7-9 m²/l
PERFORMANCE PRODUCT

QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

	WHITE	BASE BL	BASE MD	BASE TR
15L	✓	✓	✓	✓
4L	•	✓	✓	✓
1L	•	✓	✓	✓

Codification on p.92

SUPERCARRARA ACRILICO MURAL

✓ 100% acrylic coating, high quality, with a high resistance to UV rays.

✓ Touch dry: 30 min
Recoating: 6h

CHOOSE A COLOUR

LOW MEDIUM GOOD VERY GOOD EXCELLENT

COVER

WATERPROOF

OF THE SUPPORT

15

YEARS OF WARRANTY

CE

EUROPEAN MARKING

CONSERVATIVE ANTIMOLD

6-9 m²/l
PERFORMANCE PRODUCT

QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

	WHITE	BASE BL	BASE MD	BASE TR
15L	•	✓	✓	✓
4L	•	✓	✓	✓
1L	•	✓	✓	✓


Codification on p.92

PINTURA AL SILICATO TKROM SIL



✓ Protection against aggressive atmospheric agents, with great penetration capacity in mineral substrates.

✓ Touch dry: 30 min
Recoating: 6h



10
YEARS OF WARRANTY



6-8 m²/l
PERFORMANCE PRODUCT



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

	WHITE	BASE BL	BASE MD	BASE TR
15L	•	✓	✓	✓
4L	•	✓	✓	✓

Codification on p.92

SUPERCARRARA HIDROSUPERLITE



✓ Exceptionally tough and adherent waterproof coating, with HYDROPLIOLITE[®] technology.

✓ Touch dry: 30 min
Recoating: 6h



15
YEARS OF WARRANTY



6-8 m²/l
PERFORMANCE PRODUCT



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

	WHITE	BASE BL	BASE MD	BASE TR
15L	✓	✓	✓	✓
4L	✓	✓	✓	✓

Codification on p.92

SUPERLITE EXTERIOR



✓ Solvent based coating based on PLIOLITE[®] resins with a deep matte finish, without reflections.

✓ Touch dry: 30 min
Recoating: 6h



15
YEARS OF WARRANTY



9-11 m²/l
PERFORMANCE PRODUCT

345
SOLVENT RECOMMENDED



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

	BASE BL	BASE MD
15L	✓	✓
4L	✓	✓
0,75L	✓	✓

Codification on p.92

ACRYPLAS REVESTIMIENTO ELÁSTICO PROFESIONAL

✓ Good elasticity and adhesion to the different materials used in construction.

✓ Touch dry: 30 min
Recoating: 6h



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION



WHITE

15L	✓
4L	✓

Codification on p.92

SUPERCARRARA ELÁSTICO LISO

✓ Highly elastic acrylic protection, resistant to alkalinity, atmospheric agents and soiling.

✓ Touch dry: 30 min
Recoating: 6h



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION



EPD®



	WHITE	BASE BL	BASE MD	BASE TR
15L	✓	✓	✓	✓
4L	•	✓	✓	✓
1L	•	✓	✓	✓

Codification on p.93

SUPERCARRARA ELASTICO EXTRA 10

✓ Acrylic protection with excellent elasticity, highly resistant to alkalinity, atmospheric agents and soiling.

✓ Touch dry: 30 min
Recoating: 6h



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION



	WHITE	BASE BL	BASE MD	BASE TR
15L	✓	✓	✓	✓
4L	•	✓	✓	•

Codification on p.92

1.3 ROUGH FACADES

CARRARA RUGOSO

✓ Waterproof, breathable façade coating with very good hardness and adhesion.

✓ **Touch dry:** 30 min
Recoating: 6h



5 YEARS OF WARRANTY

CONSERVATIVE ANTIMOLD

2-4 m²/l PERFORMANCE PRODUCT

QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

	WHITE
15L	✓
4L	✓

Codification on p.92

SUPERCARRARA RUGOSO



✓ Acrylic protection highly resistant to alkalinity and atmospheric agents.

✓ **Touch dry:** 30 min
Recoating: 6h



10 YEARS OF WARRANTY

CONSERVATIVE ANTIMOLD

3-5 m²/l PERFORMANCE PRODUCT

QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

	WHITE	BASE BL	BASE MD	BASE TR
15L	✓	✓	✓	✓
4L	✓	✓	✓	✓

Codification on p.92

SUPERCARRARA ELÁSTICO RUGOSO



✓ Acrylic protection from excellent elasticity and hardness.

✓ **Touch dry:** 30 min
Recoating: 6h



15 YEARS OF WARRANTY

CONSERVATIVE ANTIMOLD

SPECIAL CRACKS

3-5 m²/l PERFORMANCE PRODUCT

QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

	WHITE	BASE BL	BASE MD	BASE TR
15L	✓	✓	✓	✓

Codification on p.92

WARRANTIES TKROM FACADES

SMOOTH COATINGS

FAMILY	PRODUCT	GUARANTEE
909	TKROM Superlite Exterior	15 years
227	TKROM Supercarrara Elástico Extra 10 CE	15 years
906	TKROM Supercarrara Hidrosuperlite	15 years
507	TKROM Supercarrara Acrílica Mural UV-Extra CE	15 years
233	TKROM Supercarrara Extra 10 CE	15 years
241	TKROM Supercarrara Siloxano CE	12 years
225/226	TKROM Supercarrara Elástico / Fibra CE	10 years
231	TKROM Supercarrara CE	10 years
902	TKROM SIL Pintura al Silicato	10 years
242	TKROM Revestimiento Pétreo Siloxano CE	7 years
209	TKROM Carrara R50 Smooth	5 years
216	TKROM Revestimiento Pétreo CE	5 years
217	TKROM Revestimiento Pétreo elástico	5 years

ROUGH COATINGS

FAMILY	PRODUCT	GUARANTEE
229	TKROM Supercarrara Elástico Rugoso Extra 10	15 years
228	TKROM Supercarrara Elástico Rugoso	15 years
234	TKROM Supercarrara Elástico	10 years
211	TKROM Supercarrara Rugoso	5 years

INFORMATION FOR THE APPLICATION FOR THE GUARANTEE

* All the systems described in the table of coatings must be preceded by the application of a minimum of 100/150 gr/m² of a suitable fixative in its conditions of use. The suitable fixatives for these products are listed in their corresponding technical data sheets: F1, F4, Pliotec, Silicato, etc.

* The granting of the manufacturer's guarantee according to the values described in this table, will be subject to the request of the same by the customer through his distributor, using the "guarantee request" document, duly completed, where the data of the work and material used will be reflected, in the terms and conditions described therein.

PERFORMANCE	PERFORMANCE	MICRAS
2.50 m ² /l	0.40 l/m ²	165
3.00 m ² /l	0,34 l/m ²	200
2.70 m ² /l	0.37 l/m ²	165
2,80 m ² /l	0.36 l/m ²	150
2.80 m ² /l	0,36 l/m ²	150
3.40 m ² /l	0.30 l/m ²	145
3.00 m ² /l	0,34 l/m ²	165
3,40 m ² /l	0,30 l/m ²	145
2,25 m ² /l	0,45 l/m ²	145
3,15 m ² /l	0,32 l/m ²	145
3,60 m ² /l	0,28 l/m ²	130
3,15 m ² /l	0,32 l/m ²	145
2,90 m ² /l	0,34 l/m ²	165
PERFORMANCE	PERFORMANCE	MICRAS
1.40 m ² /l	0.72 l/m ²	500
1.20 m ² /l	0,84 l/m ²	550
1.20 m ² /l	0.84 l/m ²	550
1.40 m ² /l	0.72 l/m ²	500

* For refurbishment work, it will be advisable to prepare a "Prescription Report" prior to the execution of the work, where the pathologies affecting the building are reflected and detailed, and where the technical staff of the brand can propose the most appropriate solutions for the treatment of the same.

*Along with the "warranty application" document, it will be essential to prepare and submit a "Monitoring Report of the application process", using the standard format proposed by the manufacturer.

* The warranty periods described in the table are maximum warranty periods, which may be reduced by the distributor if it is considered that the pathologies affecting the substrate, or severe weather conditions, may condition the maximum warranty period proposed by the manufacturer.

MORTERO FIJACIÓN SAVETHERM

- ✓ Hydraulic mortar for the adhesion and protection of expanded polystyrene (EPS) and rock wool (MW) boards.
- ✓ **Touch dry:** 30 min
Recoating: 6h






QR CODE
 ACCESS THE TECHNICAL DOCUMENTATION



20Kg ✓

Codification on p.92

IMPRIMACIÓN FONDO SAVETHERM

- ✓ Suitable for regulating the absorption of the support for **SAVETHERM ACRYLIC COATING**. Excellent anti-carbonation properties.
- ✓ **Touch dry:** 30 min
Recoating: 6h




QR CODE
 ACCESS THE TECHNICAL DOCUMENTATION



15L ✓

Codification on p.92

ACABADO ACRÍLICO SAVETHERM

- ✓ High performance acrylic mortar. Impermeable to rainwater and permeable to water vapour.
- ✓ **Touch dry:** 30 min
Recoating: 6h




QR CODE
 ACCESS THE TECHNICAL DOCUMENTATION



25Kg ✓

Codification on p.92


Thermal Insulation System for Exteriors

SAVETHERM

ENERGY SAVINGS OF
UP TO 60%.



AN INNOVATIVE SOLUTION FROM TKROM PINTURAS THAT OFFERS GREATER COMFORT AND ENERGY SAVINGS IN RESIDENTIAL CONSTRUCTION.



ALL THE MECHANICAL COMPONENTS NECESSARY FOR ITS CORRECT INSTALLATION ARE AVAILABLE: DOWELS, EPS SHEETS, FIBREGLASS MESH.

SAVETHERM ADVANTAGES

- ✓ **ENERGY EFFICIENCY.**
- ✓ **AMORTISABLE INVESTMENT.**
- ✓ **DOES NOT AFFECT THE USE OF THE BUILDING.**
- ✓ **REJUVENATION OF THE FACADE.**
- ✓ **INCREASED PROTECTION OF THE FACADE.**
- ✓ **NO LOSS OF INTERIOR SURFACE AREA OF THE HOME.**
- ✓ **ELIMINATION OF THERMAL BRIDGES AT THE SLAB LEVEL.**
- ✓ **MINIMISES THE FORMATION OF INTERIOR CONDENSATION AND MOULD.**



IMPREGNANTE FIJADOR HI-10

READY FOR USE

PRODUCT TOP

- ✓ Solvent-based product that compacts, waterproofs and increases the strength of concrete.
- ✓ Anti-alkaline barrier.
- ✓ Completely transparent and colourless.



- 25L ✓
- 5L ✓
- 1L ✓

Codification on p.92



315
SOLVENT RECOMMENDED



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

HIDROFUGANTE FACHADAS AL AGUA



WATER REPELLENT TECHNOLOGY

READY FOR USE

- ✓ Colourless, formulated with silanes and siloxanes.
- ✓ It repels water by forming beads, preventing the penetration of rainwater into the surfaces on which it is applied, allowing the water vapour of the substrate to breathe.



- 15L ✓
- 5L ✓
- 1L ✓

Codification on p.92



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

HIDROFUGANTE FACHADAS AL DISOLVENTE

WATER REPELLENT TECHNOLOGY



READY FOR USE

- ✓ Façade protector formulated with siloxanes.
- ✓ Colourless water repellent for waterproofing facades without modifying their appearance.



- 25L ✓
- 5L ✓
- 1L ✓

Codification on p.92



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

BARNIZ TKROM GLASS 2C

PRODUCT
TOP

- ✓ Transparent varnish of extraordinary hardness.
- ✓ Facilitates the cleaning of graffiti and the protection of various surfaces.

9-11 m²/l
PERFORMANCE
PRODUCT

315
SOLVENT
RECOMMENDED



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



	SHINE	MATE	SATIN
KIT 12 Kg	✓	✓	✓
KIT 3 Kg	✓	✓	✓
KIT 0,75 Kg	✓	✓	✓

Codification on p.92

FACADES, THEIR PROTECTION MAKES THE DIFFERENCE

THE USE OF FACADE WATER REPELLENTS AS A FINAL COAT IN APPLICATION SYSTEMS OFFERS MULTIPLE ADVANTAGES OVER THE TREATED PARAMETERS.



UNTREATED SAMPLE

TREATED SAMPLE

ADVANTAGES OF USING WATER REPELLENTS

- ✓ Does not modify the appearance of the facade.
- ✓ Allows the support to breathe.
- ✓ Reduces the appearance of efflorescence.
- ✓ Waterproof barrier.
- ✓ Increased durability.

2. WATERPROOFING ROOFS



Product formulated with high elasticity technology.



Surfaces that can be walked on and/or walked on after application of the product.

PREVENTION IS ALWAYS THE BEST OPTION TO AVOID WATER SEEPAGE. WE HAVE A WIDE RANGE OF THICK LAYER WATERPROOFING PRODUCTS THAT ADAPT TO ANY SITUATION.

ACRYPLAS IMPERMEABILIZANTE ELÁSTICO

✓ Asphalt-free waterproof coating, provides a continuous thick film coating.

✓ Touch dry: 4-8 h
Recoating: 24 h



 HIGH ADHESION	 1,5-2,5 m ² /l PERFORMANCE PRODUCT	 COLOURS STOCK	 QR CODE ACCESS THE TECHNICAL DOCUMENTATION
--	---	--	--

	RED	WHITE
15L	✓	✓

Codification on p.92

IMPERMEABILIZANTE ACRÍLICO INCOLORO

HIGH FLEXIBILITY



✓ Waterproof coating with high flexibility and tensile strength, allowing it to adapt to any kind of irregularities.

✓ Touch dry: 4-8 h
Recoating: 16 h



10 YEARS OF WARRANTY	 HIGH ADHESION	 DOES NOT SPREAD THE FLAME	 1.2 kg/m ² PERFORMANCE PRODUCT	 QR CODE ACCESS THE TECHNICAL DOCUMENTATION
--------------------------------	--	--	---	--

	INCOLORO
15L	✓
4L	✓

Codification on p.92

CUBIERTAS

✓ Asphalt-free waterproof coating, which, when dry, prevents any water seepage on the surfaces protected with it.

✓ **Touch dry:** 4-8 h
Recoating: 24 h



10 YEARS OF WARRANTY	COLOURS STOCK	SPECIAL CRACKS	HIGH ADHESION	DOES NOT SPREAD THE FLAME	1-1.5 m ² /l PERFORMANCE PRODUCT	QR CODE ACCESS THE TECHNICAL DOCUMENTATION
--------------------------------	---------------	----------------	---------------	---------------------------	---	---


COLOURS	
15L	✓
4L	✓

Codification on pages 92

CUBIERTAS FIBRA

✓ Waterproof coating enriched with crushed glass fibre and free of asphalts, which, when dry, prevents any water seepage on the surfaces protected with it.

✓ **Touch dry:** 4-8 h
Recoating: 24 h



10 YEARS OF WARRANTY	COLOURS STOCK	SPECIAL CRACKS	HIGH ADHESION	1-1.5 m ² /l PERFORMANCE PRODUCT	QR CODE ACCESS THE TECHNICAL DOCUMENTATION
--------------------------------	---------------	----------------	---------------	---	---

COLOURS	
15L	✓
4L	✓


Codification on page 93



- Colours in stock available in the COVER and ANTIGOTERAS finishes.
- * Colours available in ACRYPLAS.
- The colours shown are approximate.
- To see the exact colour, please visit an official point of sale.

2. WATERPROOFING

ANTIGOTERAS



✓ Continuous, thick film coating, which prevents any water seepage on the protected surfaces.

✓ **Touch dry:** 4-8 h
Recoating: 24 h

15 YEARS OF WARRANTY

COLOURS STOCK

SPECIAL CRACKS

DOES NOT SPREAD THE FLAME

HIGH ADHESION

1-1.5 m²/l PERFORMANCE PRODUCT



COLOURS

15L	✓
4L	✓
1L	✓

Codification on page 93

ANTIGOTERAS FIBRA



✓ Highly elastic acrylic protection, resistant to alkalinity, atmospheric agents and soiling.

✓ **Touch dry:** 4-8 h
Recoating: 14-16 h

15 YEARS OF WARRANTY

COLOURS STOCK

SPECIAL CRACKS

HIGH ADHESION

1-1.5 m²/l PERFORMANCE PRODUCT



COLOURS

15L	✓
4L	✓

Codification on page 93

ANTIGOTERAS 2C



✓ Acrylic protection with excellent elasticity, highly resistant to alkalinity, atmospheric agents and soiling.


✓ **Touch dry:** 40 min
Repainting: 24 h

15 YEARS OF WARRANTY

HIGH ADHESION

1 kg / m² PERFORMANCE PRODUCT

QR CODE
ACCESS THE TECHNICAL DOCUMENTATION



KIT WHITE KIT GREY

20 Kg	✓	✓
-------	---	---

Codification on page 93

STEP BY STEP (GENERIC WATERPROOFING OF ROOFS)



Leave the substrate clean, dry and hard.



Repair deteriorated areas with TKROMPLAST EXTERIOR-152 mortar.



Make a half-round with TKROM ANTIGOTERAS or TKROM CUBIERTAS and 0.4mm quartz sand (2:1 in volume).



Reinforcement of drains with glass fibre mesh for terraces 60gr/m².



Repair of joints with joint filler with movement and the appropriate product.



Make a half-round with TKROM ANTIGOTERAS or TKROM CUBIERTAS and 0.4mm quartz sand (2:1 in volume).



Terrace side reinforcement with glass fibre mesh for terraces 60gr/m².



TKROM ANTIGOTERAS or TKROM CUBIERTAS + glass fibre mesh for terraces 60gr/m².



Apply a new coat of TKROM ANTIGOTERAS or TKROM CUBIERTAS to perfectly cover the fibreglass mesh.

TABLE OF WARRANTIES

GUARANTEE	PRODUCT	LAYERS	CONSUMPTION	MICRAS
15 YEARS	ANTIGOTERAS 2C	2	1.12 l/m ²	800
15 YEARS	ANTIGOTERAS**	2	1.66 l/m ²	900
10 YEARS	CUBIERTAS**	2	1.90 l/m ²	900

- ** Finished with and without crushed glass fibre
- * The granting of the warranty according to the values described in this table is subject to the customer's request for the same through his distributor, using the "warranty request" document, duly completed.

3. PAINTINGS DECORATION

3.1 MATTE DECORATION

3.2 SATIN DECORATION




Product integrated in the tkromatic tintometric system.



It contributes to obtaining sustainable building certificates.



Rheological innovation that minimises splashing.



Low-emission certificate.


3.1 MATT DECORATION

NO TWO PROJECTS ARE THE SAME, THAT'S WHY WE WANT TO HELP YOU CHOOSE THE RIGHT PAINT FOR EACH OF YOUR PROJECTS.

ACRYPLAS MATE Q3

✓ Paint matte with excellent whiteness for decoration of interior walls and ceilings. When dry it leaves a smooth film with a pleasant finish.

✓ **Touch dry:** 20 min
Recoating: 4 h




INTERIOR



SPECIAL DO-IT-YOURSELF



HIGH ADHESION



3 - 5 m²/l
PERFORMANCE PRODUCT



QR CODE

ACCESS THE TECHNICAL DOCUMENTATION

WHITE

15L ✓

4L ✓

Codification on page 93

ACRYPLAS MATE Q2

✓ Special paint matte for decoration of interior walls and ceilings. When dry, it leaves a smooth film with a pleasant finish and very good whiteness.

✓ **Touch dry:** 20 min
Recoating: 4 h




INTERIOR



SPECIAL DO-IT-YOURSELF



HIGH ADHESION



6-8 m²/l
PERFORMANCE PRODUCT



QR CODE

ACCESS THE TECHNICAL DOCUMENTATION

WHITE

15L ✓

4L ✓

Codification on page 93

ACRYPLAS MATE Q1

✓ Paint matte for interior wall and ceiling decoration. When dry it leaves a soft and smooth film with a pleasant silky sheen.

✓ **Touch dry:** 20 min
Recoating: 4 h



WHITE	
15L	✓
4L	✓

Codification on page 93

MATE INDUSTRIAL

✓ Plastic paint matte based on styrenated acrylic copolymers. Very good adhesion to the different materials used in construction.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h




WHITE	
15L	✓

Codification on page 93

MATE EVEREST

✓ Plastic paint based on acrylic copolymers, finish matte. Very good adhesion to the different materials used in construction.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



WHITE	
15L	✓
12L	✓
4L	✓

Codification on page 93

KENIA MATE

✓ Excellent balance between application, coverage, performance and washability. Suitable for professional use. Low VOC's and ammonia free.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



10-12 m²/l
PERFORMANCE PRODUCT



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

WHITE	
15L	✓
4L	✓
1L	✓

Codification on page 93

MATE TK200

✓ Plastic paint matte based on styrenated acrylic aqueous dispersion. Its performance makes it the ideal paint for all types of work.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h




12-14 m²/l
PERFORMANCE PRODUCT



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

	WHITE	COLOURS	BASE BL	BASE TR
15L	✓	✓	✓	✓
12L	•	•	✓	✓
4L	✓	✓	✓	✓

Codification on page 93



- The colours shown are approximate.
- To see the exact colour, please visit an official point of sale.

OLIMPO MATE

✓ Plastic paint matte based on acrylic copolymers matte. With anti-splash technology.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



WHITE
CALIBRATED



WHITE

15L ✓

4L ✓

Codification on page 93



QR CODE

ACCESS THE
TECHNICAL
DOCUMENTATION

POLAR MATE

✓ Plastic paint matte based on acrylic copolymers, with a deep matte finish and great whiteness.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



QR CODE

ACCESS THE
TECHNICAL
DOCUMENTATION



WHITE

15L ✓

4L ✓

Codification on page 93

GONDOLA MATE

✓ Plastic paint matte based on acrylic copolymers, with a matte-silky finish. Excellent adhesion to the different materials used in construction.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



QR CODE

ACCESS THE
TECHNICAL
DOCUMENTATION



EPD[®]



WHITE

15L ✓

4L ✓

Codification on page 93

GONDOLA PLUS

✓ Plastic paint based on acrylic copolymers with an extra finish matte. Its snow white colour provides a high luminosity finish.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h

OUTSIDE INSIDE
CONSERVATIVE ANTIMOLD
DOES NOT SPREAD THE FLAME
10-12 m²/l PERFORMANCE PRODUCT



	WHITE
15L	✓
4L	✓

Codification on page 93

DAMASCO MATE

✓ Plastic paint matte based on acrylic copolymers, with a deep matte finish and great whiteness that gives luminosity to the painted surfaces.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h

OUTSIDE INSIDE
CONSERVATIVE ANTIMOLD
DOES NOT SPREAD THE FLAME
10-12 m²/l PERFORMANCE PRODUCT



	WHITE	CLASSIC	BASE BL
15L	✓	✓	✓
4L	✓	✓	✓
1L	✓	✓	•

Codification on page 93

DAMASCO EXTRA MATE

✓ Plastic paint matte based on acrylic copolymers, with a matte-silky finish. Excellent adhesion to the different materials used in construction.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h

OUTSIDE INSIDE
CONSERVATIVE ANTIMOLD
DOES NOT SPREAD THE FLAME
10-12 m²/l PERFORMANCE PRODUCT



	WHITE
15L	✓
4L	✓


Codification on page 93

MATE FORTUNA



✓ Plastic paint matte based on aqueous dispersion of ethylene vinyl copolymer. Excellent application properties, low VOC and ammonia free.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

WHITE	
15L	✓
4L	✓


Codification on page 93

CARTHAGO EXTRA MATE



✓ Deep matte finish paint with exceptional application properties. Excellent weather resistance.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

WHITE	
15L	✓
4L	✓


Codification on page 93

ULTRAMAT



✓ Particularly suitable for painting very large and bright areas that require a glare-free finish matte. CON low VOC and ammonia free.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

WHITE	
15L	✓
4L	✓

Codification on page 93



PAINTING OF ANOTHER GALAXY

INCOMPARABLE, THE 100% HIGH QUALITY ACRYLIC, WHICH WILL MAKE YOUR WORK SHINE ON ITS OWN.

COSMOS EXTRA MATT

TECHNOLOGY ANTI-SPATTER TECHNOLOGY



WHITE CALIBRATED



LOW MEDIUM GOOD VERY GOOD EXCELLENT


COVER



PERFORMANCE



RESISTANCE TO RUBBING



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

	WHITE
12L	✓
4L	✓

Codification on page 93



tkrom
COLOR
PINTURA DECORACION

RECOMENDACIONES DE APLICACION		
Superficie	Capa	Consumo
Plataforma	1	10-12 m ² /litro
Pared	2	10-12 m ² /litro
Cielo	2	10-12 m ² /litro
Columna	2	10-12 m ² /litro
Barandilla	2	10-12 m ² /litro
Escalera	2	10-12 m ² /litro
Alfombra	2	10-12 m ² /litro
Carpet	2	10-12 m ² /litro
Parquet	2	10-12 m ² /litro
Linoleum	2	10-12 m ² /litro
Formica	2	10-12 m ² /litro
Aluminio	2	10-12 m ² /litro
Acero inoxidable	2	10-12 m ² /litro
Plástico	2	10-12 m ² /litro
Vidrio	2	10-12 m ² /litro
Yeso	2	10-12 m ² /litro
Plataforma	2	10-12 m ² /litro
Pared	2	10-12 m ² /litro
Cielo	2	10-12 m ² /litro
Columna	2	10-12 m ² /litro
Barandilla	2	10-12 m ² /litro
Escalera	2	10-12 m ² /litro
Alfombra	2	10-12 m ² /litro
Carpet	2	10-12 m ² /litro
Parquet	2	10-12 m ² /litro
Linoleum	2	10-12 m ² /litro
Formica	2	10-12 m ² /litro
Aluminio	2	10-12 m ² /litro
Acero inoxidable	2	10-12 m ² /litro
Plástico	2	10-12 m ² /litro
Vidrio	2	10-12 m ² /litro
Yeso	2	10-12 m ² /litro

tkrom.com
tkrom
SOLUCIONES
SOPRICA, S.A.
Calle de la Industria, 10
28017 Leganes, Madrid
T +34 91 600 0000
MADE IN SPAIN

12L

MATE CONFORT
ANTI MOHOS

3.1 MATT DECORATION

MATE COMFORT

- ✓ Formulated on the basis of an emulsion of an ethylene vinyl copolymer and other special raw materials. High quality paint with no odour and no annoying emissions.

- ✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



INSIDE



DOES NOT SPREAD THE FLAME



10-12 m²/l
PERFORMANCE PRODUCT



QR CODE

ACCESS THE TECHNICAL DOCUMENTATION



CHOOSE A COLOUR



EPD®

PERFORMANCE



RESISTANCE TO RUBBING



	BASE BL	BASE TR
12L	✓	✓
4L	✓	✓
1L	✓	✓

Codification on page 93

MATE EXCELENT

- ✓ Formulated from an emulsion of an ethylene vinyl copolymer and other special raw materials. Superior quality paint with no odour and no annoying emissions.

- ✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



OUTSIDE INSIDE



DOES NOT SPREAD THE FLAME



10-12 m²/l
PERFORMANCE PRODUCT



QR CODE

ACCESS THE TECHNICAL DOCUMENTATION



CHOOSE A COLOUR



EPD®

PERFORMANCE



RESISTANCE TO RUBBING



	BASE BL	BASE MD	BASE TR
12L	✓	✓	✓
4L	✓	✓	✓
1L	✓	✓	✓

Codification on page 93

3.1 SATIN-FINISH DECORATION

SATINADO EXCELENT

- ✓ Paint for painting wall surfaces both indoors and outdoors, providing highly protective finishes due to its high resistance to humidity and atmospheric agents.

- ✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



OUTSIDE INSIDE



DOES NOT SPREAD THE FLAME



10-12 m²/l
PERFORMANCE PRODUCT



QR CODE

ACCESS THE TECHNICAL DOCUMENTATION



CHOOSE A COLOUR



EPD®

PERFORMANCE



RESISTANCE TO RUBBING



	BASE BL	BASE TR
12L	✓	✓
4L	✓	✓
1L	✓	✓

Codification on page 93

ACRYPLAS SATINADO Q1

✓ Satin plastic paint based on emulsion vinyl copolymers. Very good whiteness and washability, excellent adhesion and good hiding power.

✓ **Touch dry:** 30 min
Recoating: 4 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

WHITE	
15L	✓
4L	✓

Codification on page 93

ACRYPLAS SATINADO Q2

✓ Satin plastic paint with low VOC levels, based on copolymers in dispersion. Excellent balance between application, coverage, whiteness, performance and washability.

✓ **Touch dry:** 30 min
Recoating: 4 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

WHITE	
15L	✓
4L	✓

Codification on page 93

DECORACIÓN S-100

✓ Satin plastic paint, based on vinyl copolymers. Good coverage-gloss balance. Very good hardness, resistance and easy application and levelling. Pure white colour, resistant to yellowing.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

WHITE	
12L	✓
4L	✓
1L	✓

Codification on page 93

VESUBIO S-200

✓ Satin plastic paint, based on a high-tech aqueous vinyl ethylene vinyl dispersion copolymer. Very good performance and excellent ease of application and levelling. Extraordinary smoothness and softness.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



OUTSIDE
INSIDE



CONSERVATIVE
ANTIMOLD



DOES NOT
SPREAD
THE FLAME



8-10 m²/l
PERFORMANCE
PRODUCT



QR CODE

ACCESS THE
TECHNICAL
DOCUMENTATION



WHITE

12L	✓
4L	✓
1L	✓

Codification on page 93

POLAR SATINADO

✓ Satin plastic paint with excellent whiteness and good balance between coverage and gloss. Very good hardness, resistance and easy application and levelling. Resistant to yellowing.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



OUTSIDE
INSIDE



CONSERVATIVE
ANTIMOLD



DOES NOT
SPREAD
THE FLAME



8-10 m²/l
PERFORMANCE
PRODUCT



QR CODE

ACCESS THE
TECHNICAL
DOCUMENTATION



WHITE

15L	✓
4L	✓

Codification on page 93

TEIDE S-400

✓ Top quality satin plastic paint, based on vinyl copolymers. Excellent opacity, whiteness and gloss. Provides perfect finishes of great beauty, highly decorative.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h




OUTSIDE
INSIDE



CONSERVATIVE
ANTIMOLD



DOES NOT
SPREAD
THE FLAME



7-9 m²/l
PERFORMANCE
PRODUCT



QR CODE

ACCESS THE
TECHNICAL
DOCUMENTATION



WHITE

15L	✓
4L	✓

Codification on page 93

4. PAINTS ECOLOGICAL



Product integrated in the tkromatic tintometric system.



Formulated with graphene technology giving the substrate: hardness, flexibility and high washability.



Absorbs carbon dioxide, improving ambient air quality.



It contributes to obtaining sustainable building certificates.



Low-emission certificate.



Quality certificate for low-emission paints.

THE WORLD NEEDS A CHANGE, WE HAVE ALREADY STARTED. DISCOVER THE BEST SELECTION OF ENVIRONMENTALLY FRIENDLY PAINTS.

NATURGRAF



✓ Environmentally friendly paint free of toxic substances and odourless. Formulated with graphene technology. For spaces that require continuous cleaning.

✓ **Touch dry:** 4-8 h
Recoating: 24 h



INSIDE



HEALTHY ENVIRONMENT



DOES NOT SPREAD THE FLAME



12-15 m²/l
PERFORMANCE PRODUCT



QR CODE

ACCESS THE TECHNICAL DOCUMENTATION


WHITE

15L ✓

4L ✓

Codification on page 93

KEYNATUR



✓ Environmentally friendly paint with graphene technology suitable for use on facades and interiors with finish matte.

✓ **Touch dry:** 4-8 h
Recoating: 24 h



OUTSIDE INSIDE



HEALTHY ENVIRONMENT



DOES NOT SPREAD THE FLAME



12-15 m²/l
PERFORMANCE PRODUCT



QR CODE

ACCESS THE TECHNICAL DOCUMENTATION

WHITE

12,5L ✓

4L ✓

Codification on page 93


ECOLÓGICA MATE PRO SM-50



EPD[®]



✓ Formulated on the basis of an emulsion of an ethylene vinyl copolymer and other special raw materials. High quality paint with no odour and no annoying emissions.



✓ **Touch dry:** 4-8 h
Recoating: 24 h



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

WHITE	
12L	✓
4L	✓

Codification on page 93

ECOLÓGICA MATE SM-70



EPD[®]



✓ Formulated from an emulsion of an ethylene vinyl copolymer and other special raw materials. Superior quality paint with no odour and no annoying emissions.



✓ **Touch dry:** 4-8 h
Recoating: 24 h



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

WHITE	
12L	✓
4L	✓

Codification on page 93

ECOLÓGICA SATINADA SM-70



EPD[®]



✓ Formulated from an emulsion of an ethylene vinyl copolymer and other special raw materials. Superior quality paint with no odour and no annoying emissions.



✓ **Touch dry:** 30 min
Recoating: 6h



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

WHITE	
12L	✓
4L	✓

Codification on page 93

CALNATUR INTERIOR

✓ Ecological paint based on artisanal lime that absorbs CO₂, Incorporates graphene technology that provides surfaces with thermal conductivity.

✓ **Touch dry:** 30 min
Recoating: 6h

INSIDE
 HEALTHY ENVIRONMENT
 DOES NOT SPREAD THE FLAME
 12-15 m²/l PERFORMANCE PRODUCT
QR CODE
 ACCESS THE TECHNICAL DOCUMENTATION

ABSORBE CO₂
 TECHNOLOGY GRAPHENE



	WHITE
12,5L	✓
4L	✓

Codification on page 93

CALNATUR EXTERIOR

✓ 100% natural paint based on handmade lime, which absorbs carbon dioxide, improving the quality of the ambient air. Excellent whiteness.

✓ **Touch dry:** 4-8 h
Recoating: 24 h

OUTSIDE INSIDE
 HEALTHY ENVIRONMENT
 DOES NOT SPREAD THE FLAME
 12-15 m²/l PERFORMANCE PRODUCT
QR CODE
 ACCESS THE TECHNICAL DOCUMENTATION

ABSORBE CO₂
 TECHNOLOGY GRAPHENE



	WHITE
12,5L	✓
4L	✓

Codification on page 93

ARMONIA MONOCAPA

✓ Plastic paint matte single coat of very high quality. It achieves excellent coverage in a single coat.

✓ **Touch dry:** 4-8 h
Recoating: 24 h

OUTSIDE INSIDE
 COLOURS STOCK
 HEALTHY ENVIRONMENT
 DOES NOT SPREAD THE FLAME
 12-15 m²/l PERFORMANCE PRODUCT
QR CODE
 ACCESS THE TECHNICAL DOCUMENTATION

CHOOSE A COLOUR



	WHITE	COLOURS	BASE BL	BASE TR
12L	✓	✓	✓	✓
4L CUBE	✓	✓	✓	✓
4L BUCKET	✓	✓	✓	✓
2,5L	✓	✓	✓	✓

Coding on pages 93,94



- The colours shown are approximate.
- To see the exact colour, please visit an official point of sale.

5. SPECIAL PAINTS



It contributes to obtaining sustainable building certificates.



High strength and maximum adhesion pliolite resins.



Antibacterial action.



Quick implementation.

DAMPNESS, STAINS, CONFUSING SUBSTRATES... BE CALM, HERE YOU WILL FIND THE BEST SOLUTIONS TO SOLVE ALL THE PROBLEMS YOU MAY ENCOUNTER IN YOUR DAY TO DAY.

SUPERLITE ANTIHUMEDAD

- ✓ PLIOWAY[®] resin-based damp-proofing primer for direct application on damp or wet walls.

- ✓ Touch dry: 4-8 h
Recoating: 24 h



INSIDE



HIGH ADHESION



12-15 m²/l
PERFORMANCE PRODUCT


355

SOLVENT RECOMMENDED



QR CODE

ACCESS THE TECHNICAL DOCUMENTATION



WHITE

15L ✓

4L ✓

750ML ✓

Codification on p. 94

SEKROM ANTIHUMEDAD

- ✓ Waterproofs, while decorating basement walls, garage structures, and other buildings where there may be moisture problems.

- ✓ Touch dry: 30 min
Recoating: 6h



INSIDE



HIGH ADHESION



12-15 m²/l
PERFORMANCE PRODUCT



QR CODE

ACCESS THE TECHNICAL DOCUMENTATION

2 EN 1



WHITE

4L ✓

750ML ✓

Codification on p. 94

TRKOM BLOCK

✓ Stain-blocking primer which, thanks to its formulation, acts effectively as a barrier against all types of stains and dampness.

✓ **Touch dry:** 10 min
Recoating: 1h



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

WHITE	
15L	✓
4L	✓

Codification on p. 94



SUPERLITE ANTIMANCHAS

✓ Stain insulating paint finish matte, based on PLIOWAY[®] (*) resins, very low odour, non-stressed and non-yellowing. Maximum washability and adhesion.

✓ **Touch dry:** 30 min
Recoating: 6 h



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

WHITE	
15L	✓
4L	✓

Codification on p. 94



SUPERLITE ANTIMANCHAS PLUS

✓ Stain insulating paint with extra finish matte, based on PLIOWAY[®] (*) resins, very low odour, non-stressed and non-yellowing. Maximum washability and adhesion.

✓ **Touch dry:** 30 min
Recoating: 6 h



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

WHITE	
15L	✓
4L	✓

Codification on p. 94



5. SPECIAL PAINTS

DANUBIO SILICONADO

✓ Extra plastic paint matte, specially formulated with a high performance water repellent, which waterproofs the surfaces on which it is applied.

✓ **Touch dry:** 4-8 h
Recoating: 24 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

KITCHENS
AND
BATHROOMS



WHITE
12L ✓

Codification on p. 94

NILO SILICONADO

✓ Plastic paint matte, specially formulated with a high performance water repellent, which waterproofs the surfaces on which it is applied.

✓ **Touch dry:** 4-8 h
Recoating: 24 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

KITCHENS
AND
BATHROOMS



WHITE
12L ✓

Codification on p. 94

M900 ANTIMOHO

✓ Plastic paint matte, based on aqueous dispersion of acrylic copolymers. It incorporates additives dedicated to the preservation of the film against excessive growth of algae, fungi and moulds.

✓ **Touch dry:** 30 min
Recoating: 6h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

KITCHENS
AND
BATHROOMS



EPD®



WHITE
15L ✓
4L ✓

Codification on p. 94

tkrom[®]
pinturas

THE MOST REPELLENT PAINT

THE WATER-REPELLENT COATING OF
HIGH PERFORMANCE FORMULATED
WITH SILICONE MICROPARTICLES
THAT ACT AS A PROTECTIVE BARRIER
WITHOUT REDUCING THE
BREATHABILITY OF THE SUBSTRATE.



tkrom.com



THERE ARE MANY WAYS TO TAKE CARE OF YOUR HEALTH

PROTECT ANY ENVIRONMENT WITH TKROM HEALTH+,
WHICH THANKS TO ITS HYGIENISING FORMULATION
WITH SILVER IONS (Ag+), ACTS AGAINST THE
PROLIFERATION OF BACTERIA BY 99.9%.



**CERTIFICATE
ANTIMICROBIAL
JIS Z 2801
TRCH 2020-0428**



5. SPECIAL PAINTS

TKROM SALUD +

- ✓ Sanitising paint finish matte, which thanks to its formulation with silver ions (Ag+) acts against the proliferation of bacteria by 99.9%.

- ✓ **Touch dry:** 4-8 h
Recoating: 24 h



OUTSIDE
INSIDE



CONSERVATI-
VE ANTIMOLD



DOES NOT
SPREAD
THE FLAME



12-15 m²/l
PERFORMANCE
PRODUCT



QR CODE

ACCESS THE
TECHNICAL DOCU-
MENTATION



	WHITE	BASE BL	BASE TR
12L	✓	✓	✓
4L	✓	✓	✓

Codification on p. 94

PAREDES EPOXI 2C

- ✓ Suitable for painting surfaces in food industries and sanitary enclosures. It can be applied in rooms with difficult ventilation and on slightly damp substrates.

- ✓ **Touch dry:** 1h **Repainting:** 12h



INSIDE



12- 14 m²/l
PERFORMANCE
PRODUCT



QR CODE

ACCESS THE
TECHNICAL
DOCUMENTATION



- ✓ HIGH HARDNESS AND ELASTICITY
- ✓ VERY HIGH ADHESION



	WHITE
21 Kg	✓

Codification on p. 94

MATE PERLITE

- ✓ Special plastic paint for projected or laminated plasters based on styrenated acrylic copolymer emulsion, with very good adhesion and penetration.

- ✓ **Touch dry:** 30 min
Recoating: 6h



OUTSIDE
INSIDE



CONSERVATI-
VE ANTIMOLD



DOES NOT
SPREAD
THE FLAME



12-15 m²/l
PERFORMANCE
PRODUCT



QR CODE

ACCESS THE
TECHNICAL
DOCUMENTATION



	WHITE
15L	✓
4L	✓

Codification on p. 94

IT'S NOT MAGIC, IT'S PAINTING

DISCOVER THE SELECTION OF SPECIAL PAINTS CAPABLE
OF TRANSFORMING ANY SPACE INTO A MAGICAL AREA
FOR THE WHOLE FAMILY.



5. SPECIAL PAINTS

PINTURA AZULEJOS

- ✓ Synthetic enamel of extraordinary quality for painting all types of interior ceramic surfaces (kitchen and bathrooms). Good drying and high resistance to knocks, rubbing and cleaning products. Excellent adhesion on tiles.

- ✓ **Touch dry:** 40 min
Recoating: 18 h



INSIDE

11-12 m²/l
PERFORMANCE
PRODUCT

355
SOLVENT
RECOMMENDED



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

	SHINE	SATIN
2,5L	✓	✓
750 ML	✓	✓

Codification on p. 94



PINTURA FERROMAGNÉTICA IMANTADA

- ✓ Allows any surface to be converted into a ferromagnetic surface for magnets. It can be coated with plastic paints of all kinds, or with water-based acrylic enamel. Slate paint can also be applied, thus obtaining a combined ferromagnetic slate surface.

- ✓ **Touch dry:** 30 min
Repainting: 1 h



INSIDE

10 m²/l
PERFORMANCE
PRODUCT



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

750 ML	✓
--------	---

Codification on p.94



PINTURA DE PIZARRA

- ✓ Semi-matt water-based paint, specially formulated to offer excellent smooth finish, high performance, hiding power, elasticity, hardness and quick drying. Easy to apply and with extraordinary levelling to turn walls into slates.

- ✓ **Touch dry:** 40 min
Recoating: 6 h



INSIDE

6 m²/l
PERFORMANCE
PRODUCT



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

COLOURS	
750 ML	✓

Codification on p. 94



ROSA

MALVA

BLUE

GREEN

BLACK

- The colours shown are approximate.
- To see the exact colour, please visit an official point of sale.

6. PRIMERS / FINISHING DECORATION



Water-based product.



Integrated in the system tintometric tkromatic.



It contributes to obtaining sustainable building certificates.



Maximum hardness and resistance to scratching .



Suitable for painting toys. UNE-EN 71-3



Corrosion resistance. ISO 9227:2013



Wood tannin protection ASTM STANDARD D6686/01

YES, WE HAVE THE RIGHT COATINGS TO PROTECT AND DECORATE ANY SURFACE.

THREE THINGS TO CONSIDER BEFORE PAINTING

1

Nature of the system

You can choose water-based products characterised by their low environmental impact, or solvent-based products with higher resistance and performance.

2

Print if necessary

On surfaces with difficult adhesion or in the case of metals in the process of oxidation, it is advisable to apply a primer with anticorrosive action.

3

Choose the finish coat

The finish coat should maintain the nature of the primer coat. If no primer has been used, select the glaze that best suits your project.

6.1 WATER-BASED DECORATION

IMPRIMACIÓN ACRÍLICA MULTISUPERFICIE



✓ For priming a wide variety of surfaces before applying the final coat of coating, even in cases of difficult to adhere surfaces such as plastic, melamine and tiles. **Suitable for priming radiators before painting (resistant up to 100°C).**

✓ **Touch dry:** 20 min
Recoating: 2 - 4 h

- ✓ WOOD
- ✓ METAL
- ✓ TILES
- ✓ PLASTIC



10
YEARS OF PROTECTION



8-10 m²/l
PERFORMANCE PRODUCT



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

WHITE
2,5L ✓
750 ML ✓

Codification on p. 94

ESMALTE ACRÍLICO MULTISUPERFICIE


PRODUCT AT WATER


SUITABLE FOR USE ON TOYS


CHOOSE A COLOUR





✓ High quality waterborne enamel, based on pure acrylic emulsion. Fast drying and tack-free, allowing use in a short time. Excellent opacity and performance with professional finishes.

✓ **Touch dry:** 30 min
Recoating: 1 - 3 h

- ✓ WOOD
- ✓ METAL
- ✓ TILES
- ✓ PLASTIC




OUTSIDE INSIDE


CONSERVATI-VE ANTIMOLD



COLOURS STOCK


DOES NOT SPREAD THE FLAME


10-12 m²/l PERFORMANCE PRODUCT


QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

WHITE	FOG GREY 154	COFFEE 150	SOFT YELLOW 151
BLUISH GREY 155	ANCHOR BLUE 156	BLUE 157	LIME YELLOW 152
ENGLISH RED 162	TOBACCO 160	GREEN NAVY 159	MEDIUM YELLOW 153
BERMELLON 161	PURPLE 163	GREEN SPRING 158	BLACK



WE HAVE MORE THAN 5,000 COLOURS TO CHOOSE FROM, FIND YOURS AT YOUR NEAREST .

- Stock colours are available in satin finish.
- To view the exact colour, please visit an official dealer.

	MATT FINISH				GLOSS FINISH				SATIN FINISH			
	COLOURS	BASE BL	BASE MD	BASE TR	COLOURS	BASE BL	BASE MD	BASE TR	COLOURS	BASE BL	BASE MD	BASE TR
12L	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4L	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
750 ML	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
250 ML	✓	•	•	•	✓	•	•	•	✓	•	•	•

Codification on p. 94

TODO SATINADO



✓ **Multi-purpose acrylic paint** of the highest quality, suitable for the decoration and protection of all types of surfaces. When dry it forms a smooth satin film, of great fineness and perfect finish, which together with its excellent hardness, elasticity and adhesion.

✓ **Touch dry:** 15 - 30 min
Recoating: 4 - 6 h

- ✓ SIGNAGE
- ✓ FINE ARTS
- ✓ HANDICRAFTS
- ✓ MAQUETAS
- ✓ TEXTIL



10-12 m²/l
PERFORMANCE PRODUCT



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

YELLOW LUMINOUS 220	MEDIUM YELLOW 221	ORANGE 223	WHITE 200
LIMA 251	GREEN 250	BLUE 260	BLACK
LILA 271	FUCSIA 272	OCR 240	
BLUE ANCHOR 261	LIVE RED 230	BROWN 242	

	WHITE	COLOURS
12L	✓	•
4L	✓	✓
750 ML	✓	✓
250 ML	✓	✓

Codification on p. 94

6.2 SOLVENT DECORATION

IMPRIMACIÓN MULTIUSOS



✓ Universal primer based on acrylic resins, pigments, activated antioxidants and corrosion inhibitors, therefore it can be applied on surfaces with difficult adhesion. Repainting should be carried out with long drying synthetics.

✓ **Touch dry:** 10 min
Repainting: 1 h (with self) 24 h (synthetic enamel)

- ✓ IRON
- ✓ STEEL
- ✓ COPPER
- ✓ PVC



302
SOLVENT RECOMMENDED

5-7 m²/l
PERFORMANCE PRODUCT



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

WHITE	GREY	RED	BLACK
--------------	-------------	------------	--------------

	WHITE	COLOURS
15L	✓	✓
4L	✓	✓
750 ML	✓	✓
250 ML	✓	✓

Coding on p. 94,95

- The colours shown are approximate.
- To see the exact colour, please visit an official point of sale.

IMPRIMACIÓN ANTICORROSIVA

✓ Anticorrosive synthetic primer based on glycerophthalic resins and anticorrosive pigments (zinc phosphate). Hard and elastic, dries quickly and has high adhesion. This product is the alternative to Minium Lead.



- ✓ IRON
- ✓ STEEL

✓ **Touch dry:** 40 - 60 min
Repainting: 24 h



302
SOLVENT
RECOMMENDED

7 - 9 m²/l
PERFORMANCE
PRODUCT



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

ORANGE	
15L	✓
4L	✓
750 ML	✓
250 ML	✓

Codification on page 95

IMPRIMACIÓN SELLADORA UNIVERSAL

✓ Synthetic sealing primer for wood and plaster, with high sealing power, excellent flexibility and very good levelling. It is very easy to apply and sand and can be used both as a primer and as a top coat, due to its great whiteness and perfect finish.

- ✓ WOOD
- ✓ GYPSUM



✓ **Touch dry:** 20 min
Repainting: 24 h



302
SOLVENT
RECOMMENDED


6-8m²/l
PERFORMANCE
PRODUCT



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

WHITE	
15L	✓
4L	✓
750 ML	✓
250 ML	✓

Codification on page 95



ESMALTE SINTÉTICO CON POLIURETANO

CHOOSE A
COLOUR

MAXIMUM
HARDNESS

✓ High performance enamel, excellent brushability, hardness and scratch resistance. It gives the surfaces on which it is applied a smooth, hard and elastic finish. Anti-corrosive action.

- ✓ WOOD
- ✓ METAL
- ✓ GYPSUM



✓ **Touch dry:** 30 min
Recoating: 6 h

OUTSIDE
INSIDE

DOES NOT
SPREAD
THE FLAME

345

SOLVENT
RECOMMENDED

11-13 m²/l
PERFORMANCE
PRODUCT

COLOURS
STOCK

QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

SPRING GREEN 122	ANCHOR BLUE 115	ROYAL YELLOW 108	WHITE 101
GRASS GREEN 123	LUMINOUS BLUE 116	MEDIUM YELLOW 109	IVORY 102
NAVY GREEN 124	NAVY BLUE 117	ORANGE 110	BEIGE 103
GREEN GALICIA 125	COBALT BLUE 118	LIVE RED 111	GAMUZA 104
FOG GREY 126	BLUE-GREY 119	BERMELLON 112	OCR 105
PEARL GREY 127	MEDIUM GREY 120	ENGLISH RED 113	PARDO 106
ALUMINIUM 128	BLACK 121	CARRIAGE RED 114	TOBACCO 107

- Stock colours are available in glossy finish.
- For the exact colour please visit an official dealer.

	MATT FINISH				GLOSS FINISH				SATIN FINISH			
	COLOURS	BASE BL	BASE MD	BASE TR	COLOURS	BASE BL	BASE MD	BASE TR	COLOURS	BASE BL	BASE MD	BASE TR
4L	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
750 ML	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
250 ML	✓	•	•	•	✓	•	•	•	✓	•	•	•

Codification on page 95



ESMALTE ANTIOXIDANTE



**ANTICORROSIVE
POWER**



**CHOOSE A
COLOUR**

✓ Enamel from **direct application on rust**, without the need for priming or sanding. Dries very quickly leaving a smooth, shiny and decorative finish. Free of lead, chrome and heavy metals.

✓ **Touch dry:** 10 min
Recoating: 6 h

- ✓ **DOORS AND WINDOWS**
- ✓ **VERJAS**
- ✓ **GARDEN FURNITURE**
- ✓ **RADIATORS**





**OUTSIDE
INSIDE**



**COLOURS
STOCK**

345

**SOLVENT
RECOMMENDED**



11-13 m²/l

**PERFORMANCE
PRODUCT**



QR CODE

ACCESS THE
TECHNICAL
DOCUMENTATION

WHITE	BLACK 901	LIVE RED 923	OXIDE RED 955	DARK GREEN 915
IVORY 928	BROWN 917	GOLDEN YELLOW 930	YELLOW 929	GREEN 916
BLUE 939	PEARL GREY 909	SILVER GREY 905		

	WHITE	COLOURS	BASE BL	BASE TR
4 L	✓	✓	✓	✓
750 ML	✓	✓	✓	✓

- Stock colours are available in glossy finish.
- For the exact colour please visit an official dealer.

Codification on page 95

ESMALTE ANTIOXIDANTE MARTELÉ



**ANTI-CORROSIVE
POWER**



**CHOOSE A
COLOUR**

✓ Enamel from **direct application on rust**, without the need for priming or sanding. It dries very quickly leaving a smooth and shiny decorative finish.

✓ **Touch dry:** 20 min
Repainting: 48 h

- ✓ **FURNITURE**
- ✓ **FENCES**
- ✓ **FAROLAS**
- ✓ **CRANES**





**OUTSIDE
INSIDE**

345

**SOLVENT
RECOMMENDED**



9-11 m²/l

**PERFORMANCE
PRODUCT**



**COLOURS
STOCK**



QR CODE

ACCESS THE
TECHNICAL
DOCUMENTATION

RED 823	GOLD 830	COPPER 831	BRONZE 832	LIGHT GREEN 814
BROWN 817	DARK BLUE 839	LIGHT BLUE 838	DARK GREEN 816	MEDIUM GREEN 815
GREY 809	SILVER 805			

	COLOURS
4 L	✓
750 ML	✓

- To see the exact colour, please visit an official point of sale.

Codification on page 95

ESMALTE FORJA

✓ Metallic effect anticorrosive primer and finish, based on micaceous iron oxide and corrosion inhibitors. Protection and decoration of all types of iron or steel products. **Direct application on iron substrates.**

✓ **Touch dry: 30 min**
Repainting: 24 h



345
SOLVENT
RECOMMENDED

4-6 m²/l
PERFORMANCE
PRODUCT

PAVONADO SHINE









QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



✓ METALLIC EFFECT

✓ TWO FINISHES



	PAVONADO	SHINE
4 L	✓	✓
750 ML	✓	✓

Codification on page 95



7. TREATMENTS FOR WOOD



Good elasticity



Quick drying



Good hardness



UV Resistance



Product water-based



Resistance to scratching



Fungicide and insecticide

WE LOVE WOOD, PROTECT IT WITH THE SELECTION OF SPECIFIC PRODUCTS.

WOOD TREATMENT GUIDE

TREATMENT CLOSED PORE

BACKGROUND

- WOODMARK VARNISH**
Water
- WOODMARK VARNISH**
Dye Thinner
- WOODMARK VARNISH PARQUET**
Solvent
- WOODMARK VARNISH SEA AND MOUNTAÑA**
Solvent

ADVANTAGES CLOSED PORE

- ✓ LESS MAINTENANCE
- ✓ GREATER DURABILITY

DISADVANTAGES CLOSED PORE

WOOD LOSES ITS NATURAL LOOK

TREATMENT OPEN PORE

WOODMARK PROTECTIVE BACKGROUND
Water

WOODMARK PROTECTIVE FOUNDATION
Solvent

WOODMARK OIL FOR TEAK

WOODMARK FINISHED LASUR
Water

WOODMARK COATING LASUR
Solvent

ADVANTAGES OPEN PORE

- ✓ NATURAL FEEL AND FINISH

DISADVANTAGES OPEN PORE

MAINTENANCE PERIODICAL

7.1 CLOSED PORE

FONDO TAPAPOROS

✓ For the preparation and protection of wood in varnishing processes of panels and furniture. For closed-pore processes by applying several coats with intermediate sanding.

✓ **Touch dry:** 15 min **Stacking or sanding:** 30 min



10.05
SOLVENT
RECOMMENDED



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



**DRYING
ULTRA-FAST**



25 L	✓
5 L	✓
750 ML	✓
375 ML	✓

Codification on page 95

WOODMARK BARNIZ TINTE

✓ Suitable for staining, varnishing and decorating all kinds of wood surfaces. Very good outdoor resistance, high hardness, elasticity and excellent gloss, highlighting the grain of the wood.

✓ **Touch dry:** 3 - 4 h
Recoating: 24 h



345
SOLVENT
RECOMMENDED

11-13 m²/l
PERFORMANCE
PRODUCT



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



**RESISTANT TO
SCRATCHING**

✓ **COLOUR AND VARNISH
IN JUST ONE COAT**



	SHINE	SATIN	MATE
4 L	✓	✓	✓
750 ML	✓	✓	✓
250 ML	✓	✓	✓

Codification on page 95



• To see the exact colour, please visit an official point of sale.

WOODMARK BARNIZ AGUA



✓ Clear, colourless satin varnish based on acrylic emulsions for hardness, elasticity, deep drying and protection.

✓ **Touch dry:** 1 h
Repainting: 24 h



10-14 m²/l
PERFORMANCE PRODUCT



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION


- ✓ MAMPOSTERY
- ✓ DOORS
- ✓ WINDOWS
- ✓ BEAMS



SATIN	
2,5 L	✓
750 ML	✓
250 ML	✓

Codification on page 183

WOODMARK BARNIZ MAR Y MONTAÑA



✓ Transparent glossy varnish, based on special synthetic resins, highly protective of wood, with excellent resistance.

✓ **Touch dry:** 30 - 60 min
Recoating: 4 - 6 h



7 - 9 m²/l
PERFORMANCE PRODUCT

345
SOLVENT RECOMMENDED



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

- ✓ FRESHWATER RESISTANCE
- ✓ SALT WATER RESISTANCE



SHINE	
4 L	✓
750 ML	✓

Codification on p.96

WOODMARK BARNIZ PARQUET SUELOS



✓ Polyurethane varnish with high resistance to abrasion, which reticulates in the presence of environmental humidity, of great beauty and perfect levelling and maximum resistance to rubbing.

✓ **Touch dry:** 30 - 60 min
Recoating: 4 - 6 h



11-13 m²/l
PERFORMANCE PRODUCT

310
SOLVENT RECOMMENDED



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

- ✓ SHINE
- ✓ SATIN



	SHINE	SATIN
4 L	✓	✓
750 ML	✓	✓

Codification on p.96

7.2 OPEN PORE

WOODMARK ACEITE PARA TECA



READY FOR
USE

✓ Regenerating oil for the maintenance and protection of exterior woodwork. It nourishes the wood mitigating the effects of ageing, with a silky texture and soft tone.

✓ **SUITABLE FOR TROPICAL TIMBERS AND/OR EXOTICS**

✓ **Touch dry:** 12 h
Repainting: 24 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



4 L ✓
750 ML ✓
Codification on p.96

WOODMARK FONDO PROTECTOR INSECTICIDA



✓ Prevents wood-destroying fungi and tile fungi, as well as insects, thus increasing its durability.

✓ **CARCOMA**
✓ **THERMITAS**

✓ **Touch dry:** 2 h
Repainting: 24 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



2,5 L ✓
750 ML ✓
Codification on p.96

WOODMARK FONDO PROTECTOR INSECTICIDA TWP0921



✓ Water-based sealer that prevents wood-destroying fungi and tile fungi, as well as insects, thus increasing its durability.

✓ **CARCOMA**
✓ **THERMITAS**

✓ **Touch dry:** 2 h
Repainting: 24 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



2,5 L ✓
750 ML ✓
Codification on p.96

WOODMARK ACABADO LASUR



READY FOR
USE

✓ High penetration microporous product with high protective capacity, allows the wood to breathe and respects the natural appearance of its grain to the maximum.

✓ **Touch dry:** 4 - 6 h
Recoating: 24 h

- ✓ FURNITURE
- ✓ DOORS
- ✓ WINDOWS
- ✓ PERGOLAS



12-13 m²/l
PERFORMANCE
PRODUCT



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

	MATE	SATIN
4 L	✓	✓
750 ML	✓	✓

Codification on p.96

LIGHT OAK 53 SATIN	TEAK 55 SATIN	MAHOGANY 57 SATIN	OAK 59 SATIN	
WALNUT 54 SATIN	OREGON 56 SATIN	ROSEWOOD 58 SATIN	PINE 60 SATIN	EBONY 61 SATIN-FINISHED
LIGHT OAK 53 MATT	TECA 55 MATT	CAOBA 57 MATTE	OAK 59 SATIN	
WALNUT 54 MATT	OREGON 56 MATT	ROSEWOOD 58 MATT	PINE 60 MATT	EBON 61 MATT



WOODMARK ACABADO LASUR



READY FOR
USE

✓ Water-based microporous product with high penetration, with high protective capacity, allows the wood to breathe, respecting the natural appearance of its grain to the maximum.

✓ **Touch dry:** 12 h
Repainting: 24 h

- ✓ FURNITURE
- ✓ DOORS
- ✓ WINDOWS
- ✓ PERGOLAS




12-13 m²/l
PERFORMANCE
PRODUCT



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

	MATE	SATIN
4 L	✓	✓
750 ML	✓	✓

Codification on p.96



- To see the exact colour, please visit an official point of sale.



8. SPORTS FACILITIES

PISCINAS ACRÍLICO

✓ Swimming pool paint based on styrenated acrylic copolymer in aqueous dispersion, with very good adhesion and elasticity, great covering and waterproofing power and perfect finish.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



- ✓ **WATERPROOFING**
- ✓ **ADHERENCE**
- ✓ **ELASTICITY**
- ✓ ***+5% OM-130BE AGGREGATE**



	WHITE	BLUE	BLUE M
15 L	✓	✓	✓
4 L	✓	✓	✓

Codification on p.96

PISCINAS CLOROCAUCHO

✓ Chlorinated rubber-based paint with good adhesion and elasticity, very good covering and waterproofing power and high chemical resistance.

✓ **Touch dry:** 15 min
Recoating: 8 h



350
SOLVENT
RECOMMENDED



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



- ✓ **WATERPROOFING**
- ✓ **ADHERENCE**
- ✓ **ELASTICITY**



	WHITE	BLUE	BLUE M
15 L	✓	✓	✓
5 kg	✓	✓	✓

Codification on p.96

MEDITERRANEAN BLUE

BLUE

WHITE

• To see the exact colour, please visit an official point of sale.

SPORT

✓ Water-based paint formulated with an acrylic emulsion and specially developed for the painting and marking of sports facilities.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



- ✓ WATERPROOFING
- ✓ ADHERENCE
- ✓ ELASTICITY



	WHITE	COLOURS
12L	✓	✓
4L	✓	✓

Codification on p.96



ACRÍLICO PISTAS

✓ Water-based paint formulated from a styrenated acrylic emulsion. For painting and marking of sports facilities.

✓ **Touch dry:** 30 min
Recoating: 4 - 6 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



- ✓ WATERPROOFING
- ✓ ADHERENCE
- ✓ ELASTICITY



	COLOURS
12L	✓
4L	✓

Codification on p.96



PINTURA PARA CESPED

✓ Harmless Lawn Paint. Completely free of solvents, toxic-harmful compounds and heavy metals. Does not harm the leaves and roots of lawns and similar.

✓ **Touch dry:** 30 min
Recoating: 4 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

- ✓ BEATEN EARTH
- ✓ GRASS



	WHITE
12L	✓
4L	✓

Codification on p.96

9. PAINT ON SPRAY PAINT

9.1 PRIMERS

IMPRIMACIÓN ANTIOXIDANTE

Anti-rust primer based on acrylic resins and corrosion inhibiting pigments, ideal for protecting any ferrous surface.

- ✓ **VERY FAST DRYING**
- ✓ **GOOD ELASTICITY**
- ✓ **EASE OF REPAINTING**
- ✓ **GOOD ADHESION**
- ✓ **HIGH HIDING POWER**
- ✓ **WEATHER RESISTANCE**



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

Repainting: 5 min

Colours: Grey* / Red

*200ML only in grey colour.

COLOURS

400 ML	✓
200 ML	✓

Codification on p.96



IMPRIMACIÓN PLÁSTICO

Specific primer for the repair of plastic and synthetic surfaces, to obtain an optimum lacquering result.

- ✓ **QUICK DRYING**
- ✓ **GOOD ELASTICITY**
- ✓ **EXCELLENT ADHESION**

Repainting: 5 min

Colours: Colourless.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

400 ML ✓

Codification on p.96



IMPRIMACIÓN POREXPAN

Grey acrylic primer that provides polystyrene foam surfaces with a barrier protection that allows subsequent painting with solvent-based paints.

- ✓ **VERY FAST DRYING**
- ✓ **EASE OF REPAINTING**
- ✓ **GOOD ADHESION**
- ✓ **HIGH HIDING POWER**

Repainting: 5 min

Colours: Grey



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

400 ML ✓

Codification on p.96



9.2 COLOUR FINISH

ESMALTE SINTÉTICO

- ✓ HIGH SCRATCH RESISTANCE ONCE THE PAINT FILM HAS CURED
- ✓ DOES NOT CONTAIN LEAD OR HEAVY METALS IN ITS COMPOSITION
- ✓ EXCELLENT FLEXIBILITY
- ✓ CORROSION RESISTANCE
- ✓ UV RESISTANCE
- ✓ GLOSS DURABILITY
- ✓ EASE OF REPAINTING

Repainting: 5 min

Colours: Colour chart



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

COLOURS

400 ML ✓
200 ML ✓

Codification on p.96



ESMALTE ACRÍLICO

Paint formulated with very fast drying thermoplastic acrylic resins, together with high quality pigments, to give a perfect finish.

- ✓ VERY FAST DRYING
- ✓ BIG COVERAGE
- ✓ PROFESSIONAL QUALITY
- ✓ HIGH RESISTANCE

Repainting: 5 min

Colours: Grey / Red



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

COLOURS

400 ML ✓

Codification on p.96



- To see the exact colour, please visit an official point of sale.

EFECTO FORJA

Synthetic enamel with anticorrosive power formulated with micaceous iron oxide metallic pigments. It gives a ferrous appearance to the painted element.

- ✓ GOOD CORROSION RESISTANCE
- ✓ PROTECTS THE METAL BASE
- ✓ EXCELLENT RESISTANCE TO WEATHERING

Repainting: 5 min

Colours: Black and grey



400 ML ✓
Codification on p.96



EFECTO METALIZADO

Solvent based acrylic paint with metallic colours and fast drying. Formulated with a high content of pearlescent pigments for a high quality glossy appearance.

- ✓ VERY FAST DRYING
- ✓ EASE OF REPAINTING
- ✓ GOOD ADHESION
- ✓ DOES NOT CONTAIN LEAD

Repainting: 5 min

Colours: Copper, gold and silver.



400 ML ✓
200 ML ✓
Codification on p.96



CROMADO ORO/ CROMO

Highly decorative and resistant paint with a metallic appearance and glossy finish.

GOLD EFFECT

- ✓ PROTECTS AGAINST CORROSION
- ✓ DISPLACES MOISTURE
- ✓ HIGHLY LUBRICATING

CHROME EFFECT

- ✓ MIRROR EFFECT
- ✓ VERY FAST DRYING
- ✓ GOOD ADHESION

Repainting: 10 min

Colours: Chrome and gold.



400 ML ✓
Codification on p.96



ZINC / ZINC ALUMINIO

For painting machinery of all kinds as well as iron structures requiring almost immediate handling after painting, and also being a great protective film in marine and industrial environments.

- ✓ VERY FAST DRYING
- ✓ GOOD ADHESION
- ✓ DOES NOT CONTAIN LEAD

Repainting: 10 min

Colours: Aluminium.



400 ML ✓
Codification on p.96



9.4 SPECIFIC

GOTELÉ

Ideal product for repairs, obtaining in a simple and easy way the structure of the gotelé.

- ✓ IDEAL FOR REPAIRS
- ✓ REPAINTABLE WITH ALL TYPES OF PAINTS
- ✓ EASY TO APPLY

Repainting: 30 min

Colours: White.



400 ML ✓

Codification on p.96



ELECTRODOMÉSTICOS

Paint composed of high quality hydroxy acrylic resins, formulated with titanium dioxide and additives to obtain a perfect finish.

- ✓ VERY FAST DRYING
- ✓ SCRATCH RESISTANCE
- ✓ GOOD HARDENING
- ✓ EXCELLENT ADHESION

Repainting: 10 min

Colours: White.



400 ML ✓

Codification on p.97



VINILO LÍQUIDO

Multi-purpose vinyl coating is a temporary, air-drying and removable paint matte. It can give a "grip" effect to the painted surface due to its "soft touch" characteristic.

- ✓ MULTISURFACES
- ✓ MULTI-PURPOSE
- ✓ EXCELLENT REMOBIILITY
- ✓ SOFT TOUCH FINISH
- ✓ HIGH COVERAGE

Repainting: 10 min

Colours: Black, white and red.



400 ML ✓

Codification on p.97



ATICALÓRICO 600°

Paint based on silicone resins and thermosetting pigments, especially for the preparation of paints that have a high resistance to temperatures up to 650°C.

- ✓ VERY FAST DRYING
- ✓ HIGH HIDING POWER
- ✓ EASE OF REPAINTING
- ✓ GOOD FLEXIBILITY

Repainting: 10 min

Colours: Silver and black.



400 ML ✓

Codification on p.97



ANTIDESLIZANTE

Paint in spray format which, due to its characteristics, increases adherence to the applied surfaces.

- ✓ GOOD ADHESION ON MANY SURFACES
- ✓ WEAR-RESISTANT
- ✓ VERY FAST DRYING

Repainting: 5 min

Colours: Transparent



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

400 ML ✓

Codification on p.97



MARCAJE

Paint composed of acrylic resins and copolymers of a high quality thermoplastic nature, specially designed for marking.

- ✓ VERY FAST DRYING
- ✓ BRIGHT COLOURS
- ✓ EASE OF REPAINTING
- ✓ GOOD ADHESION

Repainting: 5 min



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

**FLUOR
YELLOW**

FLUOR RED

FLUOR GREEN

500 ML ✓

Codification on p.97



FOTOLUMINISCENTE

Photoluminescent acrylic paint which is charged with light in a short time, due to the pigments used, and emits light in the absence of light for a long period of time.

- ✓ GLOWS IN THE DARK
- ✓ LONG LUMINESCENCE DURATION
- ✓ GOOD ADHESION

Repainting: 5 min

Colours: Colourless.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

200 ML ✓

Codification on p.97



ANTIMANCHAS

Paint formulated for use as an undercoat for isolating stains on various surfaces.

- ✓ LAVABLE
- ✓ QUICK DRYING
- ✓ GOOD ADHESION
- ✓ HIGH HIDING POWER
- ✓ EASE OF REPAINTING

Repainting: 5 min

Colours: White



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

500 ML ✓

Codification on p.97



ACEITE MULTIUSOS

Multi-purpose oil with high penetrating power, lubrication and protection of metals against corrosion.

- ✓ *HIGHLY PENETRATING AND LUBRICATING*
- ✓ *PROTECTS AGAINST CORROSION*
- ✓ *UNLOCKING POWER*

Repainting: 5 min

Colours: Colourless.



QR CODE

ACCESS THE
TECHNICAL
DOCUMENTATION

400 ML ✓

200 ML ✓

Codification on p.97



BARNIZ SINTÉTICO

Very fast drying protective varnish, available in gloss finish and matte.

- ✓ *QUICK DRYING*
- ✓ *EXCELLENT FLEXIBILITY*
- ✓ *GOOD HARDENING*
- ✓ *UV RESISTANCE*
- ✓ *SCRATCH RESISTANCE*

Repainting: 5 min

Colours: Colourless



QR CODE

ACCESS THE
TECHNICAL
DOCUMENTATION

400 ML ✓

200 ML ✓

Codification on p.97



10. FILLINGS AND PUTTIES

10.1 POWDER COATINGS

TKROMPLAST STANDARD

Powder plaster for plastering, smoothing and filling cracks. Due to its ease of preparation and sanding, it is perfect for interior use. It has very good adhesion and dries quickly, which allows it to fill small flaws, providing a fine, hard and high quality finish suitable for any type of plastic paint.

- ✓ GOOD ADHESION, HARDNESS AND COHESION
- ✓ IMMEDIATE USE
- ✓ EASY PREPARATION
- ✓ EASY WASHING
- ✓ EASY APPLICATION

Time before to paint : 2 - 4 h

Colour: White.



INTERIOR



1.1 kg/m²
PERFORMANCE PRODUCT

MAX 5mm
MIN 2mm
RECOMMENDED THICKNESS



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

15 KG ✓

5KG ✓

1 KG ✓

Codification on p.97



FINURPLAST STANDARD

Multi-purpose repair putty based on special gypsum, made with additives and fine-grained aggregates. Excellent whiteness and hardness, especially suitable for filling and smoothing irregular surfaces and smoothing rough or stippled surfaces, with or without plastic paint finish. Easy to prepare and handle.

- ✓ CLASSIFIED AS C6 / EN-13279-1 (YE/T)
- ✓ MANUAL OR PROJECTABLE
- ✓ GREAT FINENESS
- ✓ NO LEAKS
- ✓ EASY WASHING

Time before to paint : 6 - 8 h

Colour: White.



INTERIOR



1.1 kg/m²
PERFORMANCE PRODUCT

MAX 2mm
MIN 1,5mm
RECOMMENDED THICKNESS



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

15 KG ✓

Codification on p.97



TKROMPLAST RENOVACIÓN

Powdered plaster for renovating painted interior surfaces. Its extraordinary adhesion on low absorbent surfaces makes it ideal for smoothing and levelling walls with embossed paints without the need to "scratch" the background. It can be applied fresh on fresh.

- ✓ **WITHOUT THE NEED TO "SCRAPE" THE BOTTOM**
- ✓ **EXCELLENT ADHESION**
- ✓ **EASE OF SANDING**
- ✓ **DOES NOT REPEAL**
- ✓ **FUNGICIDE**

Time before to paint : 12 h

Colour: White.



INSIDE



CONSERVATIVE ANTIMOLD



1.1 kg/m²

PERFORMANCE PRODUCT

MAX 5mm
MIN 2mm
RECOMMENDED THICKNESS



QR CODE

ACCESS THE TECHNICAL DOCUMENTATION

15 KG ✓

5 KG ✓

Codification on p.97



FINURPLAST RENOVACIÓN

Special plaster-based renovation putty made with additives and fine-grained aggregates with excellent workability, whiteness and hardness. Designed as a repair plaster paste for interiors. Suitable for smoothing rough or stippled surfaces, with or without plastic paint finish.

- ✓ **CLASSIFIED AS C6 / EN-13279-1 (YE/T)**
- ✓ **GREAT FINENESS**
- ✓ **EASY WASHING**
- ✓ **MANUAL OR PROJECTABLE**
- ✓ **FINISH Q4**

Time before to paint : 6 - 8 h

Colour: White.



INSIDE



1 kg/m²

PERFORMANCE PRODUCT

MAX 5mm
MIN 2mm
RECOMMENDED THICKNESS



QR CODE

ACCESS THE TECHNICAL DOCUMENTATION

15 KG ✓

Codification on p.97



TKROMPLAST MÁQUINA CAPA FINA

Machine sprayable powder plaster is specially designed for smoothing and levelling interior surfaces that do not have large reliefs. Ideal for large surfaces as it has a great adherence, very fine granulometry and does not set, so it has no application time.

- ✓ **GOOD ADHESION, HARDNESS AND COHESION**
- ✓ **EASE OF SANDING**
- ✓ **WOOD SEALANT**
- ✓ **EASY TO PREPARE**
- ✓ **SPECIAL FOR LARGE SURFACES**

Time before to paint : 24 h

Colour: White.



INSIDE



CONSERVATIVE ANTIMOLD



1 kg/m²

PERFORMANCE PRODUCT

MAX 5mm
MIN 2mm
RECOMMENDED THICKNESS



QR CODE

ACCESS THE TECHNICAL DOCUMENTATION

15 KG ✓

Codification on p.97



TKROMPLAST MÁQUINA CAPA GRUESA

Machine sprayable powder filler. Its filling capacity and excellent adhesion make this product especially recommended for renovating and smoothing interior surfaces, whether they are drop and/or pitted as well as other irregular substrates.

- ✓ SUITABLE FOR MACHINE APPLICATION
- ✓ EXCELLENT ADHESION
- ✓ VERY FINE GRANULOMETRY
- ✓ HIGH PERFORMANCE
- ✓ FUNGICIDE

Time before painting : 48 h

Colour: White.



INSIDE



CONSERVATIVE ANTIMOLD



1.1 kg/m²

PERFORMANCE PRODUCT

MAX 5mm

MIN 2mm

RECOMMENDED THICKNESS



QR CODE

ACCESS THE TECHNICAL DOCUMENTATION

15 KG ✓

Codification on p.97

TKROMPLAST EXTERIOR FACHADAS

Product specially designed for repairing, remaking and joining decorative elements such as sculptures, cornices, etc. Its extraordinary adhesion means that it can be used on any surface (plaster, glass, ceramic, wood...) both indoors and outdoors.

- ✓ WATER AND MOISTURE RESISTANCE
- ✓ GREAT FLEXIBILITY
- ✓ EXTERIOR / INTERIOR
- ✓ HIGH ADHESION
- ✓ FUNGICIDE

Time before to paint : 24 h

Colour: White.



OUTSIDE INSIDE



1 kg/m²

PERFORMANCE PRODUCT

MAX 5mm

MIN 2mm

RECOMMENDED THICKNESS



QR CODE

ACCESS THE TECHNICAL DOCUMENTATION

15 KG ✓

5 KG ✓

Codification on p.97

TKROMPLAST EXTERIOR

Powdered plaster ideal for waterproofing facades and repairing concrete, as well as for repairing facade elements (balconies, pillars...). Its extraordinary adhesion and resistance to carbonation mean that it can be used both indoors and outdoors.

- ✓ APPLICABLE ON WET SURFACES
- ✓ EXTRAORDINARY ADHESION
- ✓ RESISTANT TO CARBONATION
- ✓ EXTERIOR / INTERIOR

Time before painting : 48 h

Colour: Grey.



OUTSIDE INSIDE



1 kg/m²

PERFORMANCE PRODUCT

MAX 5mm

MIN 2mm

RECOMMENDED THICKNESS



QR CODE

ACCESS THE TECHNICAL DOCUMENTATION

15 KG ✓

5 KG ✓

Codification on p.97

FINURPLAST EXTERIOR

Product specially designed for repairing, remaking and joining decorative elements such as sculptures, cornices, etc. Its extraordinary adhesion means that it can be used on any surface (plaster, glass, ceramic, wood...) both indoors and outdoors.

- ✓ *SUITABLE FOR COVERING CERAMICS*
- ✓ *TAPAGRIETAS*
- ✓ *GREAT HARDNESS*
- ✓ *EXCELLENT WORKABILITY AND WHITENESS*

Time before painting : 48 h

Colour: White.



OUTSIDE
INSIDE



1 kg/m²
PERFORMANCE
PRODUCT

MAX 5mm

MIN 2mm

RECOMMENDED
THICKNESS



QR CODE

ACCESS THE
TECHNICAL
DOCUMENTATION

20 KG



Codification on p.97



PREPARADO ESCAYOLA

Product specially designed for modelling and repairing decorative interior plaster materials such as mouldings, soffits, rosettes, etc.

- ✓ INTERIOR
- ✓ EASY SANDING
- ✓ NO MERMA

Recoating: Depending on thickness

Colours: White.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

1 KG ✓

Codification on p.97



PREPARADO YESO

Powdered product ideal for filling gaps, holes or cracks in interior walls and for repairing plasterboard. Very easy to apply.

- ✓ INTERIOR
- ✓ REPAIR
- ✓ GYPSUM PLASTERBOARDS
- ✓ EASY APPLICATION

Recoating: Depending on thickness

Colours: White.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

1 kg ✓

Codification on p.97



PREPARADO DE CEMENTO BLANCO/ CEMENTO RÁPIDO

Product designed to quickly seal or plug water leaks, repair drainage joints, joints in downpipes and repairs in bathrooms and kitchens.

- ✓ EXTERIOR / INTERIOR
- ✓ REPAIRS
- ✓ EASE OF REPAINTING
- ✓ WATERPROOF

Repainting: 48 h

Colours: White, Grey.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

FAST WHITE

1.5 KG ✓

Codification on p.97



CEMENTO COLA

Glue mortar specially designed for gluing and laying all types of ceramic coverings, tiles, mosaics, tiles, stoneware.

- ✓ EXTERIOR / INTERIOR
- ✓ WATERPROOF
- ✓ GREAT FLEXIBILITY

Recoating: 4 - 6 hours

Colours: Grey



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

2 KG ✓

Codification on p.97



10.2 FILLERS IN USE

KROMPLAST MASILLA STANDARD INTERIORES

Plaste for renovating painted interior surfaces. Its extraordinary adhesion on low-absorbent surfaces makes it ideal for smoothing and levelling walls with embossed paints without the need to "scratch" the background. It can be applied fresh on fresh.

- ✓ GOOD ADHESION, HARDNESS AND COHESION.
- ✓ EASY PREPARATION
- ✓ EASE OF SANDING
- ✓ LAVENDER SCENT
- ✓ FUNGICIDE

Time before to paint : 24 h

Colour: White.



1.7 kg/m²
PERFORMANCE PRODUCT

MAX 5mm
MIN 2mm
RECOMMENDED THICKNESS



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

15 KG ✓
5 KG ✓
1 KG ✓

Codification on p.97

FINURPLAST STANDARD LISTO AL USO

Ready-to-use multi-purpose putty, used for filling and smoothing irregular surfaces. Made from organic polymers and fine-grained light fillers, excellent workability, whiteness and hardness.

- ✓ MANUAL OR PROJECTABLE
- ✓ GREAT FINENESS
- ✓ EASY WASHING
- ✓ NO RETRACTION

Time before to paint :
According to thickness

Colour: White.



1 kg/m²
PERFORMANCE PRODUCT

MAX 5mm
MIN 2mm
RECOMMENDED THICKNESS



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

20 KG ✓

Codification on p.97

FINURPLAST RENOVACIÓN LISTO AL USO

Ready-to-use special putty used for smoothing rough or stippled surfaces, with or without plastic paint finish, it does not need previous sanding of the surface due to its great adherence, allowing a clean and fast work. Made from organic polymers and fine-grained light fillers, with excellent workability, whiteness and hardness.

- ✓ FINISH Q4
- ✓ GREAT FINENESS
- ✓ EASY WASHING
- ✓ MANUAL OR PROJECTABLE

Time before to paint : 6 - 8 h

Colour: White.



1 kg/m²
PERFORMANCE PRODUCT

MAX 5mm
MIN 2mm
RECOMMENDED THICKNESS



QR CODE
ACCESS THE TECHNICAL DOCUMENTATION

20 KG ✓

Codification on p.97

MASILLA EXTERIOR

Putty for smoothing, renovating or repairing any material. Outstanding adhesion, even on glass, tile and metal surfaces, combined with high resistance to water and ambient humidity.

- ✓ EXTERIOR / INTERIOR
- ✓ FUNGICIDE
- ✓ GOOD ADHESION, HARDNESS AND COHESION.

Colour: Intense white, universal colouring (max 3%) is allowed

Drying time:
12h.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



5 KG	✓
1 KG	✓

Codification on p.97

REPARADOR ELÁSTICO

Ready-to-use flexible putty specially designed for filling cracks with movement. Fibreglass reinforced and perfect for filling, sealing and reinforcing cracks and crevices.

- ✓ IMMEDIATE USE
- ✓ ELASTIC, FLEXIBLE AND HIGHLY ADHESIVE

Colour: Greyish, can be dyed with universal or water-based dye (max. 4%)

Drying time:
24h.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



4 KG	✓
750 ML	✓
200 ML	✓

Codification on p.97

TAPAGRIETAS RÁPIDO

Designed for filling cracks with excellent adhesion on all types of substrates. Perfect for quick repairs of small cracks, crevices, holes.

- ✓ QUICK DRYING
- ✓ WATERPROOF
- ✓ FINE FINISHING

Time before painting: 15 min.

Colour: White.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



200 ML	✓
--------	---

Codification on p.97

REPARADOR MULTIFUNCIÓN

Ready-to-use putty capable of repairing any surface. Due to its extraordinary adhesion it can repair, rework, bond and smooth any type of material including glass, tile and metal.

- ✓ WATERPROOF
- ✓ EXCELLENT ADHESION
- ✓ FUNGICIDE

Drying time:
Depending on thickness.

Colour: Pure white.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION




200 ML	✓
--------	---

Codification on p.97

ALL TECHNICAL AND SAFETY DATA SHEETS IN ONE **CLICK**

Find the technical data sheets of our products from the technical search engine at **tkrom.com**.



JUNTAS AZULEJO

Grout grouting paste for tiles and all types of ceramics. Thanks to its high adhesion it is perfect for working on vertical surfaces.

- ✓ WATERPROOF
- ✓ EXCELLENT ADHESION
- ✓ RECOMMENDED FOR BATHROOMS, KITCHENS AND EXTERIORS

Drying time:
Depending on thickness.

Colour: Pure white.



200 ML ✓

Codification on p.97

FIJACIÓN SIN CLAVOS

Perfect glue putty for easy and long-lasting fixings thanks to its extraordinary bonding strength without the need for nails or screws.

- ✓ INDOOR / OUTDOOR
- ✓ ALLOWS FOR CORRECTIONS
- ✓ EXTRAORDINARY ADHESIVE POWER

Colour: White.



200 ML ✓

Codification on p.97

SILICONA UNIVERSAL

Acid silicone sealant with fungicide for glazing, glass sealing, carpentry, bathroom and kitchen sealing, etc.

- ✓ WITH FUNGICIDE
- ✓ KITCHENS AND BATHROOMS
- ✓ GLASS AND CARPENTRY

Colours: White and translucent



BLANCA

CLEAR

300 ML ✓ ✓

Codification on p.97

FIJACIÓN SIN CLAVOS

Assembly adhesive for use in construction and industry, for fixing wood, glass, PVC, ceramics, aluminium, metals. Not recommended for fixing mirrors.

- ✓ INDOOR / OUTDOOR
- ✓ MULTISURFACE
- ✓ FILLING CAPACITY



300 ML ✓

Codification on p.97

RELLENO DE GRIETAS

Single-component sealant based on a mixture of acrylic resins in dispersion. Paintable and paintable. For general use for low movement cracks.

- ✓ *INDOOR / OUTDOOR*
- ✓ *PAINTABLE AND PAINTABLE*
- ✓ *JOINTS AND CRACKS*

Colours: White and pure white.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

300 ML ✓

Codification on p.97



ADHESIVO DE MONTAJE

Mounting adhesive based on an aqueous dispersion of modified acrylic resins. Fixing of wood, plaster and expanded polystyrene panels and mouldings.

- ✓ *INDOOR / OUTDOOR*
- ✓ *RODAPIES*
- ✓ *FRISOS*
- ✓ *ZOCALOS*

Colours: White



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

300 ML ✓

Codification on p.97



ADHESIVO AGARRE TOTAL

New technology adhesive based on high quality silane modified polymers, extra strong, elastic, single component and moisture curing.

- ✓ *INDOOR / OUTDOOR*
- ✓ *EXTREME FORCE*
- ✓ *RESISTANCE UP TO 400KG/10CM*
- ✓ *MULTISURFACE*

Colours: White



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

300 ML ✓

Codification on p.97



SELLADOR ACRÍLICO

Siliconised acrylic elastic sealer in single-component emulsion with excellent adhesion on all types of natural, lacquered and varnished wood.

- ✓ *INDOOR / OUTDOOR*
- ✓ *FOR ALL TYPES OF WOOD*
- ✓ *GOOD FLEXIBILITY*
- ✓ *SOLVENT-FREE*

Colours: Pine, oak, beech, sapele, white, grey, dark grey.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

300 ML ✓

Codification on p.97



11. FIXATIVES AND ADDITIVES

11.1 MASONRY FIXINGS

LATEX

- ✓ Transparent, water-based, synthetic latex primer, especially for sealing masonry surfaces to be painted with plastic paint.
- ✓ Craft glue (paper, cardboard, wood).
- ✓ **Touch dry:** 15-30 min
Recoating: 24 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

MULTI-USES

- ✓ **Water dilution:** 1:6
- ✓ **Colour:** Off-white



5 L	✓
1 L	✓

Codification on p.97

FIJATIVO PENETRANTE F1

- ✓ High penetration fixative, to harden and fix the supports commonly used in construction. Ultra fine particle size, which gives it a high penetrating power, saturating even the microscopic capillaries of the plaster.
- ✓ **Touch dry:** 4-8 h
Recoating: 24 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

ULTRA FINE PARTICLE

- ✓ **Water dilution:** 1:1
- ✓ **Colour:** Opaline



15 L	✓
5 L	✓
1 L	✓

Codification on p.97

FIXJATIVO F4

✓ Fixative suitable for consolidating all types of wall supports, or coats of old whitewashed paints, as well as for varnishing bricks, natural or artificial stone, etc. Resistant to alkalinity, being the ideal support for the successive coats of paint to be applied on the aforementioned substrates.

✓ **Touch dry:** 15-30 min
Recoating: 6 h



QR CODE
ACCESS THE
TECHNICAL DOCU-
MENTATION



EPD[®]

✓ **Dilution water:** 1:4

✓ **Colour:**
Off-white



15 L	✓
5 L	✓
1 L	✓

Codification on p.97

FIJATIVO BLANCO F10

✓ Water-based primer for sealing porous and powdery surfaces. Particularly suitable for consolidating and reinforcing concrete, cement, plaster, gypsum, plaster, etc. as well as old, chalky paints.

✓ **Touch dry:** 15-30 min
Recoating: 6 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

COLOUR
WHITE

✓ **Water dilution:**
Ready-to-use

✓ **Colour:**
White



15 L	✓
5 L	✓
1 L	✓

Codification on p.97

IMPRIMACIÓN SELLADORA-SANEADORA

✓ To clean supports attacked by fungi, algae, moulds, yeasts, mosses, bacteria, etc..., it provides at the same time an effective sealing, compacting and healing effect on surfaces degraded by these agents together with atmospheric or ageing effects.

✓ **Touch dry:** 15 - 30 min
Recoating: 6 h



QR CODE
ACCESS THE
TECHNICAL DOCU-
MENTATION

✓ **Water dilution:**
Ready-to-use

✓ **Colour:**
Off-white



15 L	✓
5 L	✓
1 L	✓

Codification on p.97

IMPRIMACIÓN SILICATO CEMENTO

✓ Primer that reinforces and fixes mineral substrates, while providing uniform absorption. It is used as a thinner for silicate paints, especially in medium and intense shades.

✓ **Touch dry:** 4-5 h
Repainting: 24 h

✓ **Water dilution:**
Ready-to-use

✓ **Colour:**
Off-white



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

15 L ✓

4 L ✓

Codification on p.97

IMPRIMACIÓN SILICATO YESO

✓ Sealing primer for application on gypsum plaster, when it is desired to apply TKROM-SIL silicate finishing paint on this type of surface in interiors. It is highly resistant to alkalinity and provides a uniform surface when dry and resistant to the aggressiveness of silicate paints.

✓ **Touch dry:** 4-5 h
Repainting: 24 h

✓ **Water dilution:**
Ready-to-use

✓ **Colour:**
Off-white



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

15 L ✓

4 L ✓

Codification on p.97

IMPRIMACIÓN SUPERLITE EXTERIOR

✓ Primer for facades with exceptional adhesion, penetration capacity and resistance to alkaline agents. It allows the substrate to breathe, it is the ideal base coat for subsequent painting with TKROM SUPERLITE EXTERIOR.

✓ **Touch dry:** 15 - 20 min
Recoating: 6 h

✓ **Water dilution:** 1:1

✓ **Colour:**
White



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

15 L ✓

5 L ✓

1 L ✓

Codification on p.97

FIJATIVO AL AGUA PLIOTEC

✓ Water-based primer for facades, based on PLIOTEC[®] resins, with exceptional adhesion and penetration capacity. Its structure gives it excellent resistance to water and humidity, as well as good resistance to weathering and ultraviolet radiation.

✓ **Touch dry:** 1 - 2 h
Recoating: 6 - 8 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



✓ **Water dilution:**
Ready-to-use

✓ **Colour:**
Transparent



15 L ✓
4 L ✓

Codification on p.97

IMPRIMACIÓN EPOXI AL AGUA

✓ Sealing coating or primer with good penetration into the substrate and suitable for overcoating with waterborne epoxy, solvent-free epoxy or polyurethane systems.

✓ **Touch dry:** 1 - 3 h
Repainting: 24 to 48h



8-10 m²/kg
PERFORMANCE
PRODUCT



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



✓ **Finish:**
Glossy

✓ **Colour:**
Off-white



16 Kg ✓

Codification on p.97

11.2 ADDITIVES

LIMPIADOR REFORZANTE ANTIMOHO

✓ Product specifically formulated for cleaning and disinfection of surfaces attacked by fungi and moulds. The incorporation of a wetting agent ensures good wettability and penetration to the deepest coats.

✓ **Touch dry:** 15-30 min
Recoating: 24 h



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

TREATMENT
SURFACES WITH
MOULD

✓ **Water dilution:**
Ready-to-use

✓ **Colour:**
Colourless



25 L ✓
5 L ✓
1 L ✓

Codification on p.97

12. DYES

TINTE LIQUIDO

- ✓ Concentrated liquid dye for dyeing all kinds of water-based paints by simple agitation. High concentration and tinting power.
- ✓ Add the necessary amount of paint until the desired shade is achieved, **without exceeding the limit of 5-10% of the total paint, depending on the colour.**



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION



- ✓ Plastics.
- ✓ Acrylics.
- ✓ Tempering.
- ✓ Glue-based.
- ✓ Lime-based.
- ✓ Cement-based.



1 L	✓
250 ML	✓
50 ML	✓

Codification on p.97

TINTE UNIVERSAL

- ✓ Concentrated liquid dye for dyeing all kinds of water-based paints and solvent-based paints by simple stirring. High concentration and tinting power.
- ✓ Add the necessary quantity of paint until the desired shade is achieved, **without exceeding the limit of 5% of the total paint, depending on the colour.**



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

- ✓ Plastics.
- ✓ Acrylics.
- ✓ Tempera.
- ✓ Glue-based.
- ✓ Lime-based.
- ✓ Cement-based.
- ✓ Oil-based paints.
- ✓ Synthetic enamels.
- ✓ Chlorinated rubber.
- ✓ Epoxies.
- ✓ Polyurethanes.



1 L	✓
500 ML	✓
50 ML	✓

Codification on p.97

13. SOLVENTS

DISOLVENTE 302 UNIVERSAL

✓ Fast evaporating thinner for all types of paints. High solvent and degreasing power.

✓ Synthetic solvents
✓ Cleaning of tools



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

25 L	✓
5 L	✓
1 L	✓
500 ML	✓

Codification on p.97



DISOLVENTE 310 POLIURETANO

✓ Mixture of solvents formulated for the correct dilution and cleaning of polyurethane based products.

✓ Particularly suitable for primers and pigmented finishes, allowing to obtain well levelled surfaces, without orange peel.

✓ Polyurethane based primers and topcoats



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

25 L	✓
5 L	✓
1 L	✓
500 ML	✓

Codification on p.97



DISOLVENTE 345 SINTÉTICOS Y GRASOS

- ✓ Mixture of solvents specially formulated to be added to all types of enamels and synthetic and oil-based paints, for brush, roller, spray or dipping application.
- ✓ Cleaning of tools on products where recommended.

- ✓ **Suitable for:**
Synthetic paints and enamels



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

25 L	✓
5 L	✓
1 L	✓
500 ML	✓

Codification on p.97



DISOLVENTE 350 CLOROCAUCHO Y SUPERLITE EXTERIOR

- ✓ Mixture of special solvents for all types of products based on chlorinated rubber resins and Pliolite©. It allows a good application by spray gun without forming threads and facilitates a good levelling of the product.

- ✓ **Suitable for:**
Chlorinated rubber and Pliolite© coatings.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

25 L	✓
5 L	✓
1 L	✓
500 ML	✓

Codification on p.97



DISOLVENTE 355 SINTEX SIN OLOR

- ✓ Isoparaffinic solvent without aromatic content and with very low odour, especially suitable for all types of enamels and synthetic and oil-based paints, both for brush, roller and spray application.
- ✓ Cleaning of tools on products where recommended.

- ✓ **Suitable for:**
Synthetic paints and enamels



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

25 L	✓
5 L	✓
1 L	✓
500 ML	✓

Codification on p.97



DISOLVENTE 376 ANTIOXIDANTE

✓ Medium-fast evaporating thinner, specially formulated for Anti-Rust Enamel. Suitable both for dilution of the product and for cleaning brushes and utensils.

✓ **Suitable for:** Anti-rust enamel.

✓ Cleaning of tools on products where recommended.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

25 L	✓
5 L	✓
1 L	✓
500 ML	✓

Codification on p.97



AGUARRÁS PURO

✓ Good dilution and cleaning power. Allows a good anchorage without removing the underlying layer of the substrate. Improves brushability.

✓ Slow evaporation rate.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

5 L	✓
1 L	✓
500 ML	✓

Codification on p.97



SIMIL AGUARRÁS

✓ Good dilution and cleaning power. Allows a good anchorage without removing the underlying layer of the substrate. Improves brushability.

✓ Slow evaporation rate.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

5 L	✓
1 L	✓
500 ML	✓

Codification on p.97



DECAPANTE LÍQUIDO

READY FOR
USE

- ✓ Super powerful stripper in gel form.
- ✓ Fast-acting, effective.
- ✓ Free of methylene chloride.
- ✓ Emulsifiable in water.

- ✓ **Suitable for removing:**
paints, varnishes and
lasures.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

5 L	✓
1 L	✓
500 ML	✓

Codification on p.97



DECAPANTE GEL

READY FOR
USE

- ✓ New generation super powerful liquid paint stripper.
- ✓ Ideal for wood because it remains dry after stripping.
- ✓ Free of methylene chloride.
- ✓ No-rinse product.

- ✓ **Suitable for removing:**
paints, varnishes and
lasures.



QR CODE
ACCESS THE
TECHNICAL
DOCUMENTATION

5 L	✓
1 L	✓
500 ML	✓

Codification on p.97



PRODUCT LIST

BY CATEGORIES

FACADE CLADDING

PROFESSIONAL WHITE PETRE CLADDING 15L	8424214143773
PROFESSIONAL WHITE PETRE CLADDING BL 4L	8424214216200
PROFESSIONAL WHITE SMOOTH CLADDING 15L	8424214143759
PROFESSIONAL WHITE SMOOTH CLADDING 4L	8424214143773
PROFESSIONAL WHITE PETRE CLADDING R-52 4L	8424214143759
PROFESSIONAL WHITE PETRE CLADDING R-52 4L	8424214143759
PROFESSIONAL SMOOTH WHITE 4L	8424214217009
PETCOAT WHITE R-52 4L	8424214192306
PETCOAT WHITE R-52 15L	8424214117392
IVORY PETREOSE COATING F 933 15L	8424214171745
LIGHT IVORY PETREOSE COATING F 880 15L	8424214195291
LIGHT CREAM PETREOSE COATING F 917 15L	8424214180891
EARTH BROWN PETREO CLADDING F 827 15L	8424214190135
CANE YELLOW PETREO CLADDING F 919 15L	8424214199473
ALBERO PETREO CLADDING F 836 15L	8424214190210
SOUTHERN SAND PETREOUS COATING F 845 15L	8424214190111
PEARL GREY PETREOUS COATING F 936 15L	8424214199480
PETREOUS COATING BASE TR 4L	8424214216811
PETREO BASE COATING TR 15L	8424214216804
PETREO BASE COATING BL 4L	8424214216835
PETREO BASE COATING BL 15L	8424214216828
CARRARA SMOOTH R-50 WHITE 4L	8424214193365
CARRARA SMOOTH R-50 WHITE 15L	8424214041093
PETREO SILOXANE 4L	8424214231135
PETREO SILOXANE 15L	8424214231128
SC SMOOTH WHITE F 810 4L	8424214077054
SC PLAIN WHITE F 810 15L	8424214034101
SC PLAIN BLACK F 900 4L	8424214155424
SC PLAIN BLACK F 900 15L	8424214155417
SC PLAIN YELLOW CANE F 919 4L	8424214077016
SC PLAIN YELLOW CANE F 919 15L	8424214034132
SC PLAIN YELLOW WHEAT F 920 4L	8424214077023
SC PLAIN YELLOW WHEAT F 920 15L	8424214034163
SC PLAIN ALBINO F 836 4L	8424214077047
SC PLAIN ALBANO F 836 15L	8424214034170
SC PLAIN LIGHT CREAM F 917 4L	8424214077061
SC PLAIN LIGHT CREAM F 917 15L	8424214034149
SC PLAIN SOUTHERN SAND F 845 4L	8424214077030
SC PLAIN SOUTHERN SAND F 845 15L	8424214034156
SC PLAIN IVORY F 933 4L	8424214077078
SC IVORY SMOOTH F 933 15L	8424214034125
SC LIGHT IVORY SMOOTH F 880 4L	8424214077085
SC LIGHT IVORY SMOOTH F 880 15L	8424214034118
SC TOBACCO BROWN SMOOTH F 886 4L	8424214077108
SC TOBACCO BROWN SMOOTH F 886 15L	8424214034194
SC EARTH BROWN SMOOTH F 827 4L	8424214077115
SC PLAIN EARTHY BROWN F 827 15L	8424214034187
SC PLAIN LIGHT BLUE F 906 4L	8424214186220
SC PLAIN LUMINOUS BLUE F 906 15L	8424214156698
SC PLAIN TERRACOTTA F 862 4L	8424214077146
SC PLAIN TERRACOTTA F 862 15L	8424214034217
SC PLAIN TILE RED F 968 4L	8424214077122
SC PLAIN TILE RED F 968 15L	8424214034224
SC PLAIN DEEP GREEN F 861 4L	8424214077153
SC PLAIN DEEP GREEN F 861 15L	8424214034255
SC PLAIN CEMENT GREY F 913 4L	8424214186237
SC PLAIN CEMENT GREY F 913 15L	8424214183953
SC PLAIN PEARL GREY F 936 4L	8424214077092
SC PLAIN PEARL GREY F936 15L	8424214034231
SC PLAIN BASE TR 1L	8424214117460
SC PLAIN BASE TR 4L	8424214117477
SC PLAIN BASE TR 15L	8424214117484
SC PLAIN BASE MD 1L	8424214117439
SC SMOOTH BASE MD 4L	8424214117446
SC SMOOTH BASE MD 15L	8424214117453
SC SMOOTH BASE BL 1L	8424214117408
SC SMOOTH BASE BL 4L	8424214117415
SC SMOOTH BASE BL 15L	8424214117422
SC SILOXANE WHITE 4L	8424214231029
SC SILOXANE WHITE 15L	8424214230732
SC EXTRA-10 SMOOTH BASE WHITE 15L	8424214133699
SC EXTRA-10 SMOOTH BASE TR 1L	8424214117644
SC EXTRA-10 SMOOTH BASE TR 4L	8424214117651
SC EXTRA-10 SMOOTH BASE TR 15L	8424214117668
SC EXTRA-10 SMOOTH BASE MD 1L	8424214117613
SC EXTRA-10 SMOOTH BASE MD 4L	8424214117620
SC EXTRA-10 SMOOTH BASE MD 15L	8424214117637
SC EXTRA-10 SMOOTH BASE BL 1L	8424214117583
SC EXTRA-10 SMOOTH BASE BL 4L	8424214117590
SC EXTRA-10 SMOOTH WHITE BASE 15L	8424214117606
SC ACRYLIC MURAL UV BASE TR 1L	8424214115817
SC ACRYLIC MURAL UV BASE TR 4L	8424214115824
SC ACRYLIC MURAL UV BASE TR 15L	8424214186817
SC ACRYLIC MURAL UV BASE MD 1L	8424214115848
SC ACRYLIC MURAL UV BASE MD 4L	8424214115855
SC ACRYLIC MURAL UV BASE MD 15L	8424214186824
SC ACRYLIC UV WALL MURAL BASE BL 1L	8424214115879
SC ACRYLIC UV MURAL BASE BL 4L	8424214115886
SC ACRYLIC UV MURAL BASE BL 15L	8424214186831
SILICATE BASE TR 4L	8424214099902
SILICATE BASE TR 15L	8424214099919
SILICATE BASE MD 4L	8424214099889
SILICATE BASE MD 15L	8424214099896
SILICATE BASE BL 4L	8424214099865

HIDROSUPERLITE BASE TR 4L	8424214141786
HIDROSUPERLITE BASE TR 15L	8424214141793
HIDROSUPERLITE BASE MD 4L	8424214141809
HIDROSUPERLITE BASE MD 15L	8424214141816
HIDROSUPERLITE BASE BL 4L	8424214141823
HIDROSUPERLITE BASE BL 15L	8424214141830
STI SUPERLITE EXTERIOR BASE MD 750ML	8424214117224
STI SUPERLITE EXTERIOR BASE MD 4L	8424214099841
STI SUPERLITE EXTERIOR BASE MD 15L	8424214099858
STI SUPERLITE EXTERIOR BASE BL 750ML	8424214117217
STI SUPERLITE EXTERIOR BASE BL 4L	8424214099827
STI SUPERLITE EXTERIOR BASE BL 15L	8424214099834
REVEST.ELASTIC PROFESSIONAL WHITE 15L	8424214143766
REVEST.ELASTIC PROFESSIONAL WHITE 4L	8424214217016
SC ELASTIC SMOOTH WHITE 15L	84242142127520
SC ELASTIC SMOOTH TR BASE 1L	8424214117552
SC SMOOTH ELASTIC BASE TR 4L	8424214117569
SC SMOOTH ELASTIC BASE TR 15L	8424214117576
SC SMOOTH ELASTIC BASE MD 1L	8424214117521
SC ELASTIC SMOOTH BASE MD 4L	8424214117538
SC ELASTICO SMOOTH BASE MD 15L	8424214117545
SC ELASTICO SMOOTH BASE BL 1L	8424214117491
SC ELASTICO SMOOTH BASE BL 4L	8424214117507
SC SMOOTH ELASTIC BASE BL 15L	8424214117514
SC SMOOTH ELASTIC FIBRE WHITE 15L	8424214137574
SC SMOOTH ELASTIC EXTRA-10 BASE TR 15L	8424214117750
SC ELASTIC SMOOTH EXTRA-10 BASE MD 4L	8424214117712
SC ELASTIC SMOOTH EXTRA-10 BASE MD 15L	8424214117729
SC ELASTIC SMOOTH EXTRA-10 BASE BL 4L	8424214145913
SC ELASTIC SMOOTH EXTRA-10 BASE BL 15L	8424214117699
CARRARA R-50 ROUGH WHITE 15L	8424214119808
SC ROUGH WHITE F 810 4L	8424214188125
SC ROUGH WHITE F 810 15L	8424214077221
SC ROUGH BASE TR 4L	8424214143933
SC ROUGH BASE TR 15L	8424214117781
SC RUGGED BASE MD 4L	8424214143926
SC RUGGED BASE MD 15L	8424214117774
SC RUGGED BASE BL 4L	8424214141601
SC RUGGED BASE BL 15L	8424214117767
SC ELASTICO RUGOSO BASE WHITE 15L	8424214212730
SC ELASTICO RUGOSO BASE TR 15L	8424214117811
SC ELASTICO RUGOSO BASE MD 15L	8424214117804
SC ELASTICO RUGOSO BASE BL 15L	8424214117798
FIXING MORTAR SAVETHERM	8424214229811
PRIMING PRIMER SAVETHERM	8424214229828
ACRYLIC FINISH SAVETHERM	8424214229835
IMPREGNATING FIXING IMPREGNATING HI-10 1L	8424214139912
FIXATIVE IMPREGNATING AGENT HI-10 5L	8424214115404
FIXATIVE IMPREGNATING AGENT HI-10 25L	8424214115398
WATERPROOFING WATER FACADES WATER 1L	8424214219836
WATERPROOFING WATER FACADES WATER 5L	8424214219843
WATERPROOFING WATER FACADES WATER 25L	8424214219850
FACADES INVISIBLE WATER REPELLENT 1L	8424214117378
FACADES INVISIBLE WATER REPELLENT 5L	8424214096123
FACADES INVISIBLE WATER REPELLENT 25L	8424214096130
TK- VARNISH KITGLASS 2C GLOSS 0,75K	8424214204665
TK-GLASS 2C GLOSS VARNISH 0,5K	8424214231746
TK-GLASS CATALYST 0,25K	8424214231487
TK-GLASS 2C GLOSS VARNISH KIT 3K	8424214203248
TK-GLASS 2C GLOSS VARNISH 2K	8424214231753
TK-GLASS CATALYST 1K	8424214231517
TK-GLASS 2C GLOSS VARNISH KIT 12K	8424214231869
TK-GLASS 2C GLOSS 8K	8424214231760
TK-GLASS 4K CATALYST VARNISH	8424214231890
TK-GLASS 2C SATIN VARNISH KIT 0,75K	8424214231838
KIT-VARNISH TK-GLASS 2C SATIN 0,5K	8424214231777
CATALYST TK-GLASS 0,25K	8424214231487
KIT-VARNISH TK-GLASS 2C SATIN 3K	8424214231845
VARNISH TK-GLASS 2C SATIN 2K	8424214231784
CATALYST TK-GLASS 1K	8424214231517
KIT-VARNISH TK-GLASS 2C SATIN 12K	8424214231852
TK-GLASS 2C SATIN VARNISH 8K	8424214231791
TK-GLASS VARNISH CATALYST 4K	8424214231890
TK-GLASS 2C MATT VARNISH KIT 0,75K	8424214153380
TK-GLASS 2C MATT VARNISH 0,5K	8424214231807
TK-GLASS CATALYST 0,25K	8424214231487
KIT TK-GLASS 2C MATT VARNISH 3K	8424214231876
TK-GLASS 2C MATT VARNISH 2K	8424214231814
CATALYST TK-GLASS 1K	8424214231517
TK-GLASS 2C MATT VARNISH KIT 12K	8424214231883
TK-GLASS 2C MATT VARNISH 8K	8424214231821
TK-GLASS 4K VARNISH CATALYST	8424214231890

2. WATERPROOFING ROOFS

ELASTIC WATERPROOFING RED 15L	8424214194409
ELASTIC WATERPROOFING WHITE 15L	8424214198384
ACRYLIC WATERPROOFING COLOURLESS 4L	8424214204870
ACRYLIC WATERPROOFING COLOURLESS 15L	8424214209547
WHITE ROOFING 4L	8424214143568
WHITE ROOFING 15L	8424214143551
BLACK ROOFING 15L	8424214144831
ROOFING RED 4L	8424214143575
ROOFING RED 15L	8424214143520
ROOFING TILE RED 4L	8424214143742

ROOFS RED TILE 15L	8424214143735	EXTRA MATT DAMASK WHITE 4L	8424214183281
ROOFS GREEN 4L	8424214149232	MATT FORTUNA WHITE 4L	8424214188286
ROOFS GREEN 15L	8424214149225	MATT FORTUNA WHITE 15L	8424214187050
ROOFS GREY 4L	8424214149218	EXTRA MATT CARTHAGO 15L	8424214215654
ROOFS GREY 15L	8424214145081	EXTRA MATT CARTHAGO 4L	8424214215661
ROOFS WHITE FIBRE 15L	8424214176139	ULTRAMAT WHITE 15L	8424214132975
GREY FIBRE COVERS 15L	8424214179796	ULTRAMAT WHITE 4L	8424214217481
RED FIBRE COVERS 15L	8424214163900	COSMOS EXTRA MATT WHITE 12L	8424214231104
RED FIBRE COVERS 4L	8424214174050	COSMOS EXTRA MATT WHITE 4L	8424214231111
ANTI-DRIP COVERS WHITE 1L	8424214149003	MATT COMFORT BASE TR 1L	8424214000205
ANTI-DRIP WHITE 4L	8424214040454	MATTE COMFORT BASE TR 4L	8424214000083
ANTI-DRIP WHITE 15L	8424214040461	MATTE COMFORT BASE TR 12L	8424214000182
ANTI-DRIP BLACK 1L	8424214155752	MATTE COMFORT BASE BL 1L	8424214000199
ANTI-DRIP BLACK 4L	8424214144077	MATTE COMFORT BASE BL 4L	8424214000137
ANTI-DAMP-PROOFING BLACK 15L	8424214137505	MATTE COMFORT BASE BL 12L	8424214000038
ANTI-DAMP-PROOFING RED 1L	8424214155769	MATTE EXCELENT BASE TR 1L	8424214000229
ANTI-DAMP-PROOFING RED 4L	8424214040522	MATTE EXCELENT BASE TR 4L	8424214000151
ANTI-DAMP-PROOFING RED 15L	8424214040539	MATTE EXCELENT BASE TR 12L	8424214000052
ANTI-DAMP-PROOFING TILE RED 1L	8424214155776	MATTE EXCELENT BASE MD 1L	8424214117125
ANTI-DAMP-PROOFING TILE RED 4L	8424214117965	MATTE EXCELENT BASE MD 4L	8424214117132
ANTI-DAMP-PROOFING TILE RED 15L	8424214117958	MATTE EXCELENT BASE MD 12L	8424214117149
ANTI-DAMP-PROOFING GREEN 1L	8424214155783	MATTE EXCELENT BASE BL 1L	8424214000212
ANTI-DAMP-PROOFING GREEN 4L	8424214119006	MATTE EXCELENT BASE BL 4L	8424214000144
ANTI-DAMP-PROOFING GREEN 15L	8424214077405	MATT EXCELENT BASE BL 12L	8424214000045
ANTI-DAMP-PROOFING GREY 1L	8424214155790	SATIN EXCELENT BASE TR 1L	8424214000243
ANTI-DAMP-PROOFING GREY 4L	8424214117989	SATIN EXCELENT BASE TR 4L	8424214000175
ANTI-DAMP-PROOFING GREY 15L	8424214077412	SATIN EXCELENT BASE TR 12L	8424214000076
ANTI-DAMP-PROOFING WHITE FIBRE 4L	8424214142158	SATIN EXCELENT BASE BL 1L	8424214000236
DRIP-PROOFING WHITE FIBRE 15L	8424214141991	SATIN EXCELENT BASE BL 4L	8424214000168
DRIP-PROOFING RED FIBRE 4L	8424214141762	SATIN EXCELENT BASE BL 12L	8424214000069
DRIP-PROOFING RED FIBRE 15L	8424214141779	SATIN PAINT WHITE Q1 15L	8424214153741
DRIP-PROOFING RED FIBRE ROOF TILE 4L	8424214141984	SATIN PAINT WHITE Q1 4L	8424214153765
ANTI-DAMP-PROOFING RED FIBRE ROOF TILE 15L	8424214141977	SATIN PAINT WHITE Q2 15L	8424214146903
ANTI-DAMP-PROOFING GREY FIBRE 4L	8424214145449	SATIN PAINT WHITE Q2 4L	8424214146927
ANTI-DAMP-PROOFING GREY FIBRE 15L	8424214142004	SATIN S-100 WHITE 1L	8424214149270
KIT-ANTI-DAMP-PROOFING WHITE 20KG	8424214149768	SATIN S-100 WHITE 4L	8424214148891
ANTI-DAMP-PROOFING WHITE (A) 16KG	8424214176245	SATIN S-100 WHITE 12L	8424214230640
ANTI-DAMP-PROOFING CATALYST 4KG	8424214155257	VESUVIUS S-200 WHITE 1L	8424214149287
ANTI-DAMP-PROOFING KIT GREY 20KG	8424214149799	VESUVIUS S-200 WHITE 4L	8424214148884
ANTI-DAMP-PROOFING GREY (A) 16KG	8424214158289	VESUVIUS S-200 WHITE 12L	8424214230657
ANTI-DAMP-PROOFING CATALYST 4KG	8424214155257	SATIN POLAR WHITE 4L	8424214174999
		SATIN POLAR WHITE 15L	8424214168400
		TEIDE S-400 WHITE 4L	8424214148877
		TEIDE S-400 12L	8424214230664

3. PAINTS DECORATION

MATT WHITE PAINT Q3 15L	8424214144046
MATT WHITE PAINT Q3 4L	8424214216972
MATT WHITE PAINT Q2 15L	8424214206317
PAINT MATT WHITE PAINT Q2 4L	8424214206300
MATT WHITE PAINT Q1 15L	8424214145524
MATT WHITE PAINT Q1 4L	8424214206195
INDUSTRIAL MATT M-10 WHITE 15L	8424214030097
MATT EVEREST WHITE 4L	8424214188446
MATT EVEREST WHITE 12L	8424214188439
MATT EVEREST WHITE 15L	8424214146378
MATT KENYA WHITE 1L	8424214147771
MATT KENYA WHITE 4L	8424214187098
MATT KENYA WHITE 15L	8424214031094
MATT TK-200 BASE TR 4L	8424214198025
MATTE TK-200 BASE TR 12L	8424214147979
MATTE TK-200 BASE TR 15L	8424214148327
MATTE TK-200 BASE BL 4L	8424214164747
MATTE TK-200 BASE BL 12L	8424214096833
MATT TK-200 BASE BL 15L	8424214148310
MATT TK-200 WHITE 4L	8424214188248
MATT TK-200 WHITE 15L	8424214187074
MATT TK-200 BLACK 15L	8424214194003
MATT TK-200 BLACK 4L	8424214212905
MATTE TK-200 GREY 410 15L	8424214212899
MATTE TK-200 GREY 410 4L	8424214212967
MATTE TK-200 RED 420 15L	8424214212868
MATTE TK-200 RED 420 4L	8424214212936
MATTE TK-200 YELLOW 430 15L	8424214212844
MATTE TK-200 YELLOW 430 4L	8424214212912
MATTE TK-200 BLUE 440 15L	8424214212882
MATTE TK-200 BLUE 440 4L	8424214212950
MATT TK-200 GREEN 450 15L	8424214212875
MATT TK-200 GREEN 450 4L	8424214212943
MATT TK-200 ORANGE 460 15L	8424214212851
MATT TK-200 ORANGE 460 4L	8424214212929
MATTE OLIMPO 4L	8424214224137
MATTE OLIMPO 15L	8424214221198
MATTE POLAR WHITE 4L	8424214211274
MATTE POLAR WHITE 15L	8424214211267
MATTE GONDOLA WHITE 15L	8424214096253
MATTE GONDOLA WHITE 4L	8424214155349
MATTE GONDOLA PLUS WHITE 15L	8424214137765
MATT GONDOLA PLUS WHITE 4L	8424214176108
MATT DAMASK BASE BL 4L	8424214215418
MATT DAMASK BASE BL 15L	8424214215401
MATT DAMASK CLASSIC WHITE 1L	8424214147849
MATT DAMASK CLASSIC WHITE 4L	8424214185827
MATT DAMASK CLASSIC WHITE 15L	8424214033098
MATT WHITE DAMASK 1L	8424214191040
MATT WHITE DAMASK 4L	8424214191033
MATT WHITE DAMASK 15L	8424214187043
EXTRA EXTRA MATT DAMASK WHITE 15L	8424214115336

4. ECOLOGICAL PAINTS

NATURGRAF WHITE 4L	8424124298920
NATURGRAF WHITE 15L	8424124208937
KEYNATUR 4L	8424124209286
KEYNATUR 12,5L	8424214235584
ECOLOGICAL MATT SM-50 PRO 4L	8424214142189
ECOLOGICAL MATT SM-50 PRO 12L	8424214188736
ECOLOGICAL MATT SM-70 WHITE 4L	8424214040423
ECOLOGICAL MATT SM-70 WHITE 12L	8424214188743
ECOLOGICAL SATIN WHITE 4L	8424214077443
ECOLOGICAL SATIN WHITE 12L	8424214145852
CALNATUR INTERIOR WHITE 4L	8424124208838
CALNATUR INTERIOR WHITE 12,5L	8424124208845
CALNATUR EXTERIOR WHITE 4L	8424124208883
CALNATUR EXTERIOR WHITE 12,5L	8424124208890
HARMONIA MONOLAYER BELLADONNA 80% 4L	8424214191392
ARMONIA MONOLAYER LAVENDER 4L	8424214191194
ARMONIA MONOLAYER TURQUOISE 4L	8424214191248
ARMONIA MONOLAYER ARCTIC 60% 4L	8424214191569
MONOLAYER HARMONY SPRING 4L	8424214191347
MONOLAYER HARMONY CORAL 4L	8424214191200
MONOLAYER HARMONY SAFARI 40% 4L	8424214191514
MONOLAYER HARMONY MAUVE 4L	8424214191224
MONOLAYER HARMONY BELLADONNA 10% 4L	8424214191361
HARMONIA MONOLAYER BELLADONNA 20% 4L	8424214191378
HARMONIA MONOLAYER WHITE 4L	8424214191309
HARMONIA MONOLAYER NUDE 4L	8424214191217
HARMONIA MONOLAYER MOSS 40% 4L	8424214191538
HARMONIA MONOLAYER ONYX 20% 4L	8424214191583
HARMONIA MONOLAYER ARGEN 4L	8424214191279
HARMONIA MONOLAYER ARTICO 10% 4L	8424214191552
HARMONIA MONOLAYER ARTICO 20% 4L	8424214191644
ARMONIA MONOLAYER LUMINOUS WHITE 4L	8424214191934
ARMONIA MONOLAYER BELLADONNA 60% 4L	8424214191385
ARMONIA MONOLAYER DUNE 4L	8424214191262
ARMONIA MONOLAYER SAFARI 80% 4L	8424214191521
ARMONIA MUSTARD MONOLAYER 4L	8424214191293
JUNGLE MONOLAYER HARMONY 4L	8424214191323
PAPAYA MONOLAYER HARMONY 4L	8424214191316
SPRING MONOLAYER HARMONY 4L	8424214191330
MOSS MONOLAYER HARMONY 4L	8424214191545
HARMONIA MONOLAYER JUNIPER 4L	8424214191286
HARMONIA MONOLAYER CHERRY 4L	8424214191231
HARMONIA MONOLAYER SAND 4L	8424214191507
HARMONIA MONOLAYER ONYX 4L	8424214191590
ARMONIA MONOCAPA ARTICO 4L	8424214191576
HARMONIA MONOCAPA BORDEAUX 4L	8424214191255
ARMONIA MONOCAPA OCEANO 4L	8424214191354
ARMONIA MONOCAPA BLANCO LUMINOSO 12L	8424214193211
ARMONIA MONOCAPA BASE TR 2.5L	8424214191606

ARMONIA MONOCAPA BASE TR 12L	8424214193228
ARMONIA MONOCAPA BASE BL 2,5L	8424214191620
ARMONIA MONOCAPA BASE BL 12L	8424214193235
ARMONIA MONOCAPA PRO BASE TR 4L	8424214196823
ARMONIA MONOCAPA PRO BASE BL 4L	8424214196816

5. SPECIAL PAINTS

SUPERLITE DAMP-PROOFING WHITE 750ML	8424214099773
SUPERLITE DAMP-PROOFING WHITE 4L	8424214099780
SUPERLITE DAMP-PROOFING WHITE 15L	8424214099797
SEKROM DAMP-PROOFING 4L	8424124208043
SEKROM DAMP-PROOFING 750 ML	8424124208036
TKROM BLOCK WHITE 4L	8424214214923
TKROM BLOCK WHITE 750ML	8424214215333
SUPERLITE ANTI-STAIN WHITE 750ML	8424214099742
SUPERLITE ANTI-STAIN WHITE 4L	8424214099759
SUPERLITE	8424214099759
SUPERLITE ANTI-STAIN WHITE 15L	8424214099766
DANUBE SILICONIZED WHITE 12L	8424214208922
NILO SILICONIZED WHITE 12L	8424214140963
M-900 ANTIMOLD WHITE 4L	84242142096147
M-900 ANTIMOLD WHITE 15L	8424214088791
TKROM SALUD PLUS WHITE 4L	8424214203613
TKROM SALUD PLUS WHITE 12L	8424214203620
TKROM SALUD PLUS BASE TR 4L	8424214203644
TKROM SALUD PLUS BASE TR 12L	8424214203637
TKROM SALUD PLUS BASE BL 4L	8424214203651
TKROM SALUD PLUS BASE BL 12L	8424214203668
EPOXY WALLS 2C	8424214133200
PLASTIC PERLITE WHITE 4L	8424214230596
PLASTIC PERLITE WHITE 15L	8424214119440
TILE PAINT BR 750ML	8424124207923
TILE PAINT BR 2,5L	8424610211984
SAT TILE PAINT 750ML	8424124207931
SAT TILE PAINT 2,5L	8424124209231
FERROMAGNETIC MAGNETIC PAINT 750ML	8424124207947
GREEN SLATE PAINT 750ML	8424124207954
BLACK SLATE PAINT 750ML	8424124207961
BLUE SLATE PAINT 750ML	8424124209262
PINK SLATE PAINT 750ML	8424124209255
MAUVE SLATE PAINT 750ML	8424124209248

6. PRIMERS/FINISH

MULTI-SURFACE ACRYLIC PRIMER 750ML	8424214232200
MULTI-SURFACE ACRYLIC PRIMER 2,5L	8424214232217
ESM MULTISUP GLOSS WHITE 250ML	8424214197011
ESM MULTISUP GLOSS WHITE 750ML	8424214196670
ESM MULTISUP GLOSS WHITE 4L	8424214196687
ESM MULTISUP BLACK GLOSS 250ML	8424214197837
ESM MULTISUP BLACK GLOSS 750ML	8424214196748
ESM MULTISUP BLACK GLOSS 4L	8424214196755
ESM MULTISUP WHITE MATTE 250ML	8424214197035
ESM MULTISUP MATTE WHITE 750ML	8424214196717
ESM MULTISUP MATTE WHITE 4L	8424214196724
ESM MULTISUP MATTE WHITE 12L	8424214196731
ESM MULTISUP MATTE BLACK 250ML	8424214197868
ESM MULTISUP MATTE BLACK 750ML	8424214196786
ESM MULTISUP MATTE BLACK 4L	8424214196793
ESM MULTISUP SAT WHITE 250ML	8424214197028
ESM MULTISUP SAT WHITE 750ML	8424214196694
ESM MULTISUP SAT WHITE 4L	8424214196700
ESM MULTISUP SAT WHITE 12L	8424214197844
ESM MULTISUP SAT BLACK 250ML	8424214197851
ESM MULTISUP SAT BLACK 750ML	8424214196762
ESM MULTISUP SAT BLACK 4L	8424214196779
ESM MULTISUP SAT BROWN 150 250ML	8424214202210
ESM MULTISUP SAT BROWN 150 750ML	8424214202227
ESM MULTISUP SAT BROWN 150 4L	8424214202234
ESM MULTISUP SAT BROWN 150 12L	8424214202241
ESM MULTISUP SAT SOFT YELLOW 151 250ML	8424214202258
ESM MULTISUP SAT SOFT YELLOW 151 750ML	8424214202265
ESM MULTISUP SAT SOFT YELLOW 151 4L	8424214202272
ESM MULTISUP SAT SOFT YELLOW 151 12L	8424214202289
ESM MULTISUP SAT LIME YELLOW 152 250ML	8424214202296
ESM MULTISUP SAT LIME YELLOW 152 750ML	8424214202302
ESM MULTISUP SAT LIME YELLOW 152 4L	8424214202319
ESM MULTISUP SAT YELLOW LIME 152 12L	8424214202326
ESM MULTISUP SAT YELLOW MEDIUM 153 250ML	8424214202333
ESM MULTISUP SAT YELLOW MEDIUM 153 750ML	8424214202340
ESM MULTISUP SAT YELLOW MEDIUM 153 4L	8424214202357
ESM MULTISUP SAT YELLOW MEDIUM 153 12L	8424214202364
ESM MULTISUP SAT GREY FOG 154 250ML	8424214202371
ESM MULTISUP SAT GREY FOG 154 750ML	8424214202388
ESM MULTISUP SAT GREY FOG 154 4L	8424214202395
ESM MULTISUP SAT GREY FOG 154 12L	8424214202401
ESM MULTISUP SAT BLUE-GREY 155 250ML	8424214202418
ESM MULTISUP SAT BLUE-GREY 155 750ML	8424214202425
ESM MULTISUP SAT BLUISH GREY 155 4L	8424214202432
ESM MULTISUP SAT BLUISH GREY 155 12L	8424214202449
ESM MULTISUP SAT BLUE ANCHOR 156 250ML	8424214202456
ESM MULTISUP SAT BLUE ANCHOR 156 750ML	8424214202463
ESM MULTISUP SAT BLUE ANCHOR 156 4L	8424214202470
ESM MULTISUP SAT BLUE ANCHOR 156 12L	8424214202487
ESM MULTISUP SAT BLUE 157 250ML	8424214202494

ESM MULTISUP SAT BLUE 157 4L	8424214202517
ESM MULTISUP SAT BLUE 157 12L	8424214202524
ESM MULTISUP SAT GREEN SPRING 158 250ML	8424214202531
ESM MULTISUP SAT SPRING GREEN 158 750ML	8424214202548
ESM MULTISUP SAT SPRING GREEN 158 4L	8424214202555
ESM MULTISUP SAT SPRING GREEN 158 12L	8424214202562
ESM MULTISUP SAT NAVY GREEN 159 250ML	8424214202579
ESM MULTISUP SAT NAVY GREEN 159 750ML	8424214202586
ESM MULTISUP SAT NAVY GREEN 159 4L	8424214202593
ESM MULTISUP SAT NAVY GREEN 159 12L	8424214202609
ESM MULTISUP SAT TOBACCO 160 250ML	8424214202630
ESM MULTISUP SAT TOBACCO 160 750ML	8424214202647
ESM MULTISUP SAT TOBACCO 160 4L	8424214202654
ESM MULTISUP SAT TOBACCO 160 12L	8424214202661
ESM MULTISUP SAT VERMILION 161 250ML	8424214202678
ESM MULTISUP SAT VERMILION 161 750ML	8424214202685
ESM MULTISUP SAT VERMILION 161 4L	8424214202692
ESM MULTISUP SAT VERMILION 161 12L	8424214202708
ESM MULTISUP SAT ENGLISH RED 162 250ML	8424214202715
ESM MULTISUP SAT RED ENGLISH 162 750ML	8424214202722
ESM MULTISUP SAT ENGLISH RED 162 4L	8424214202739
ESM MULTISUP SAT ENGLISH RED 162 12L	8424214202746
ESM MULTISUP SAT PURPLE 163 250ML	8424214202753
ESM MULTISUP SAT PURPLE 163 750ML	8424214202760
ESM MULTISUP SAT PURPLE 163 4L	8424214202777
ESM MULTISUP SAT PURPLE 163 12L	8424214202784
ESM ACRIL MULTISUP GLOSS BASE TR 750ML	8424214199077
ESM ACRIL MULTISUP GLOSS BASE TR 4L	8424214199084
ESM ACRIL MULTISUP GLOSS BASE MD 750ML	8424214199053
ESM ACRIL MULTISUP GLOSS BASE MD 4L	8424214199060
ESM ACRIL MULTISUP GLOSS BASE BL 750ML	8424214199039
ESM ACRIL MULTISUP GLOSS BASE BL 4L	8424214199046
ESM ACRIL MULTISUP SATIN BASE TR 750ML	8424214199138
ESM ACRIL MULTISUP SATIN BASE TR 4L	8424214199145
ESM ACRIL MULTISUP SATIN BASE MD 750ML	8424214199114
ESM ACRIL MULTISUP SATIN BASE MD 4L	8424214199121
ESM ACRIL MULTISUP SATIN BASE BL 750ML	8424214199091
ESM ACRIL MULTISUP SATIN BASE BL 4L	8424214199107
ESM ACRIL MULTISUP MATTE BASE TR 750ML	8424214199190
ESM ACRIL MULTISUP MATTE BASE TR 4L	8424214199206
ESM ACRIL MULTISUP MATTE BASE MD 750ML	8424214199176
ESM ACRIL MULTISUP MATTE BASE MD 4L	8424214199183
ESM ACRIL MULTISUP MATTE BASE BL 750ML	8424214199152
ESM ACRIL MULTISUP MATTE BASE BL 4L	8424214199169
ALL SATIN WHITE 200 250ML	8424214147450
ALL SATIN WHITE 200 750	8424214088272
ALL SATIN WHITE 200 4L	8424214088401
ALL SATIN WHITE 200 12L	8424214088531
ALL SATIN BLACK 210 250ML	8424214147467
ALL SATIN BLACK 210 750	8424214088289
ALL SATIN BLACK 210 4L	8424214088418
ALL SATIN BLACK 210 12L	8424214214626
ALL SATIN AMARI.LU.220 250	8424214147474
ALL SATIN AMARI.LU.220 750	8424214088296
ALL SATIN AMARI.LU.220 4L	8424214088425
ALL SATIN AMARI.ME.221 250	8424214147481
ALL SATIN AMARI.ME.221 750	8424214088302
ALL SATIN AMARI.ME.221 4L	8424214088432
ALL SATIN BROWN 242 250ML	8424214147504
ALL SATIN BROWN 242 750	8424214088364
ALL SATIN BROWN 242 4L	8424214088494
ALL SATIN OCHRE 240 250ML	8424214147528
ALL SATIN OCHRE 240 750	8424214088340
ALL SATIN OCHRE 240 4L	8424214088470
ALL SATIN BRIGHT RED230 250	8424214147559
ALL SATIN BRIGHT RED SATIN230 750	8424214088326
ALL SATIN BRIGHT RED SATIN230 4L	8424214088456
ALL SATIN GREEN SATIN 250 250ML	8424214147566
ALL SATIN GREEN SATIN 250 750	8424214088371
ALL SATIN GREEN 250 4L	8424214088500
ALL SATIN BLUE 260 250ML	8424214147573
ALL SATIN BLUE 260 750	8424214088388
ALL SATIN BLUE 260 4L	8424214088517
ALL SATIN ORANGE 223 250ML	8424214208540
ALL SATIN ORANGE 223 750ML	8424214208557
ALL SATIN ORANGE 223 4L	8424214208564
ALL SATIN LIME 251 250ML	8424214208571
ALL SATIN LIME 251 750ML	8424214208588
ALL SATIN LIME 251 4L	8424214208595
ALL SATIN WATERFALL 261 250ML	8424214208601
ALL SATIN CASCADE 261 750ML	8424214208618
ALL SATIN CASCADE 261 4L	8424214208465
ALL SATIN LILAC 271 250ML	8424214208458
ALL SATIN LILAC 271 750ML	8424214208441
ALL SATIN LILAC 271 4L	8424214208434
ALL SATIN FUCHSIA 272 250ML	8424214208427
ALL SATIN FUCHSIA 272 750ML	8424214208410
ALL SATIN FUCHSIA 272 4L	8424214208403
WHITE MULTIPURPOSE PRIMER 430 250ML	8424214144879
WHITE MULTIPURPOSE PRIMER 430 750ML	8424214095904
WHITE MULTIPURPOSE PRIMER 430 4L	8424214095911
PRIMER MULTI-PURPOSE WHITE 430 15L	8424214222928
PRIMER MULTI-PURPOSE BLACK 434 250ML	8424214165232
PRIMER MULTI-PURPOSE BLACK 434 250ML	8424214165232

MULTIPURPOSE PRIMER RED 432 250ML	8424214145951	ESM STCO WITH PU PEARL GREY 127 GLOSS 750ML	8424214189832
MULTIPURPOSE PRIMER RED 432 750ML	8424214096055	ESM STCO WITH PU PEARL GREY 127 GLOSS 4L	8424214189849
MULTIPURPOSE PRIMER RED 432 4L	8424214096062	ESM STCO WITH PU ALUMINIUM 128 GLOSS 250ML	8424214189856
MULTIPURPOSE PRIMER RED 432 15L	8424214222942	ESM STCO WITH PU ALUMINIUM 128 GLOSS 750ML	8424214189863
MULTIPURPOSE PRIMER GREY 431 250ML	8424214145968	ESM STCO WITH PU ALUMINIUM 128 GLOSS 4L	8424214189870
MULTIPURPOSE PRIMER GREY 431 750ML	8424214096024	ESM STCO WITH PU WHITE 131 MATT 250ML	8424214189887
MULTIPURPOSE PRIMER GREY 431 4L	8424214096031	ESM STCO WITH PU WHITE 131 MATT 750ML	8424214189894
MULTIPURPOSE PRIMER GREY 431 15L	8424214222959	ESM STCO WITH WHITE PU 131 MATT 4L	8424214189900
ANTICORROSIVE STCA PRIMER ORANGE 250ML	8424214157510	ESM STCO WITH BLACK PU 132 MATT 250ML	8424214189917
ANTICORROSIVE STCA PRIMER ORANGE 750ML	8424214144145	ESM STCO WITH BLACK PU 132 MATT 750ML	8424214189924
STCA ANTICORROSIVE ORANGE PRIMER 4L	8424214144152	ESM STCO WITH BLACK PU 132 MATT 4L	8424214189931
STCA ANTICORROSIVE ORANGE PRIMER 15L	8424214223307	ESM STCO WITH WHITE PU 129 SATIN 250ML	8424214189948
UNIVERSAL SEALER PRIMER B. 455 250ML	8424214144862	ESM STCO WITH WHITE PU 129 SATIN 750ML	8424214189955
UNIVERSAL SEALER PRIMER B. 455 750ML	8424214092903	ESM STCO WITH WHITE PU 129 SATIN 4L	8424214189962
UNIVERSAL SEALER PRIMER B. 455 4L	8424214092972	ESM STCO WITH BLACK PU 130 SATIN 250ML	8424214189979
UNIVERSAL SEALER PRIMER B. 455 15L	8424214222966	ESM STCO WITH BLACK PU 130 SATIN 750ML	8424214189986
ESM STCO WITH WHITE PU 101 GLOSS 250ML	8424214188637	ESM STCO WITH BLACK PU 130 SATIN 4L	8424214189993
ESM STCO WITH WHITE PU 101 GLOSS 750ML	8424214188644	STI ESM ANTIOXIDO BASE TR 750ML	8424214178430
ESM STCO WITH WHITE PU 101 GLOSS 4L	8424214188651	STI ESM ANTIOXIDO BASE TR 4L	8424214178447
ESM STCO WITH IVORY PU 102 GLOSS 250ML	8424214188675	STI ANTI RUST BASE SM BL 750ML	8424214178454
ESM STCO WITH IVORY PU 102 GLOSS 750ML	8424214188675	STI ANTI RUST BASE SM BL 4L	8424214178461
ESM STCO WITH PU IVORY 102 GLOSS 4L	8424214188682	ANTI RUST 900 WHITE GLOSS 750ML	8424214119549
ESM STCO WITH PU IVORY 102 GLOSS 750ML	8424214188699	ANTI RUST 900 WHITE GLOSS 4L	8424214119532
ESM STCO WITH PU BEIGE 103 GLOSS 250ML	8424214188705	ESM ANTIOXIDE 901 GLOSS BLACK 750ML	8424214119648
ESM STCO WITH PU BEIGE 103 GLOSS 750ML	8424214188941	ESM ANTIOXIDE 901 GLOSS BLACK 4L	8424214119631
ESM STCO WITH PU BEIGE 103 GLOSS GLOSS 4L	8424214188958	ESM ANTIOXIDE 929 YELLOW 750ML	8424214119501
ESM STCO WITH PU CHAMOIS 104 GLOSS 250ML	8424214188965	ESM ANTIOXIDE 929 YELLOW 4L	8424214119495
ESM STCO WITH PU CHAMOIS 104 GLOSS 750ML	8424214188972	ESM ANTIOXIDE 930 GOLD YELLOW 750ML	8424214119662
ESM STCO WITH PU CHAMOIS 104 GLOSS 4L	8424214188989	ESM ANTIOXIDE 930 GOLD YELLOW 4L	8424214119655
ESM STCO WITH PU OCHRE 105 GLOSS 250ML	8424214188996	ESM ANTIOXIDE 928 IVORY 750ML	8424214119600
ESM STCO WITH PU OCHRE 105 GLOSS 750ML	8424214188996	ESM ANTIOXIDE 928 IVORY 4L	8424214119594
ESM STCO WITH PU OCHRE 105 GLOSS 4L	8424214189009	ESM ANTIOXIDE 917 BROWN 750ML	8424214119624
ENM STCO WITH PU OCHRE 105 GLOSS 4L	8424214189016	ESM ANTIOXIDE 917 BROWN 4L	8424214119617
ENM STCO WITH PU BROWN 106 GLOSS 250ML	8424214189023	ESM ANTIOXIDE 955 RED RUST 750ML	8424214119686
ENM STCO WITH PU BROWN 106 GLOSS 750ML	8424214189030	ESM ANTIOXIDE 955 RED RUST 4L	8424214119679
ENM STCO WITH PU BROWN 106 GLOSS 4L	8424214189047	ESM ANTIOXIDE 923 BRIGHT RED 750ML	8424214119709
ESM STCO WITH PU TOBACCO 107 GLOSS 250ML	8424214189054	ESM ANTIOXIDE 923 BRIGHT RED 4L	8424214119693
ESM STCO WITH PU TOBACCO 107 GLOSS 750ML	8424214189061	ESM ANTIOXIDE 916 GREEN 750ML	8424214119723
ESM STCO WITH PU TOBACCO 107 GLOSS 4L	8424214189078	ESM ANTIOXIDE 916 GREEN 4L	8424214119716
ESM STCO WITH PU ROYAL YELLOW 108 GLOSS 250ML	8424214189085	ESM ANTIOXIDE 915 DARK GREEN 750ML	8424214119747
ESM STCO WITH PU ROYAL YELLOW 108 GLOSS 750ML	8424214189085	ESM ANTIOXIDE 915 DARK GREEN 4L	8424214119730
ESM STCO WITH REAL YELLOW PU 108 GLOSS 750ML	8424214189092	ESM ANTIOXIDE 939 BLUE 750ML	8424214119525
ESM STCO WITH REAL YELLOW PU 108 GLOSS 4L	8424214189108	ESM ANTIOXIDE 939 BLUE 4L	8424214119518
ESM STCO WITH MEDIUM YELLOW PU 109 GLOSS 250ML	8424214189115	ESM ANTIOXIDE 909 PEARL GREY 750ML	8424214119563
ESM STCO WITH MEDIUM YELLOW PU 109 GLOSS 750ML	8424214189122	ESM ANTIOXIDE 909 PEARL GREY 4L	8424214119556
ESM STCO WITH MEDIUM YELLOW PU 109 GLOSS 4L	8424214189139	ESM ANTIOXIDE 905 SILVER GREY 750ML	8424214119587
ENM STCO WITH ORANGE PU 110 GLOSS 250ML	8424214189146	ESM ANTIOXIDE 905 SILVER GREY 4L	8424214119570
ENM STCO WITH ORANGE PU 110 GLOSS 750ML	8424214189153	ESM ANTIOXIDE SAT WHITE 750ML	8424214173657
ENM STCO WITH ORANGE PU 110 GLOSS 4L	8424214189160	ESM ANTIOXIDE SAT WHITE 4L	8424214173664
ENM STCO WITH RED PU BRIGHT 111 GLOSS 250ML	8424214189283	ESM ANTIOXIDO SAT BLACK 750ML	8424214173671
SM STCO WITH BRIGHT RED PU 111 GLOSS 750ML	8424214189290	ESM ANTIOXIDO SAT BLACK 4L	8424214173688
SM STCO WITH BRIGHT RED PU 111 GLOSS 4L	8424214189306	STI ESM ANTIOXIDO MARTELE 800 BASE SILVER 750ML	8424214131862
SM STCO WITH VERMILION PU 112 GLOSS 250ML	8424214189382	STI ESM ANTIOXIDO MARTELE 800 BASE SILVER 4L	8424214131879
SM STCO WITH VERMILION PU 112 GLOSS 750ML	8424214189399	STI FORGING BLUED BASE COLOUR 750ML	8424214117200
ESM STCO WITH PU VERMILION 112 GLOSS 4L	8424214189405	STI FORGING BLUED BASE COLOUR 4L	8424214117194
ESM STCO WITH PU RED ENGLISH 113 GLOSS 250ML	8424214189412	STI FORGING GLOSS BASE COLOUR 750ML	8424214132920
ESM STCO WITH PU RED ENGLISH 113 GLOSS 750ML	8424214189429	STI FORGING GLOSS BASE COLOUR 4L	8424214135686
ESM STCO WITH PU RED ENGLISH 113 GLOSS 4L	8424214189436	FORGING GLOSS GRAPHITE BLACK 750ML	8424214127025
ESM STCO WITH CARRIAGE RED PU 114 GLOSS 250ML	8424214189443	FORGING GLOSS GRAPHITE BLACK 4L	8424214137123
ESM STCO WITH CARRIAGE RED PU 114 GLOSS 750ML	8424214189450	FORGING GLOSS STEEL GREY 750ML	8424214143704
ESM STCO WITH CARRIAGE RED PU 114 GLOSS 4L	8424214189467	FORGING GLOSS STEEL GREY 4L	8424214143698
ESM STCO WITH ANCHOR BLUE PU 115 GLOSS 250ML	8424214189313	FORGING BLACK GRAPHITE BLUING 460 750ML	8424214092859
ESM STCO WITH ANCHOR BLUE PU 115 GLOSS 750ML	8424214189320	FORGING BLACK GRAPHITE BLUING 460 4L	8424214092927
ESM STCO WITH ANCHOR BLUE PU 115 GLOSS 4L	8424214189337	FORGING STEEL GREY BLUING 462 750ML	8424214092842
ESM STCO WITH LUMINOUS BLUE PU 116 GLOSS 250ML	8424214189344	FORGING STEEL GREY BLUING 462 4L	8424214092910
ESM STCO WITH LUMINOUS BLUE PU 116 GLOSS 750ML	8424214189351		
ESM STCO WITH LUMINOUS BLUE PU 116 GLOSS 4L	8424214189368		
ESM STCO WITH NAVY BLUE PU 117 GLOSS 250ML	8424214189474		
ESM STCO WITH NAVY BLUE PU 117 GLOSS 750ML	8424214189481		
ESM STCO WITH NAVY BLUE PU 117 GLOSS 4L	8424214189498		
ESM STCO WITH COBALT BLUE PU 118 GLOSS 250ML	8424214189504		
ENM STCO WITH COBALT BLUE PU 118 GLOSS 750ML	8424214189511		
ENM STCO WITH COBALT BLUE PU 118 GLOSS 4L	8424214189528		
ENM STCO WITH BLUE GREY PU 119 GLOSS 250ML	8424214189535		
ENM STCO WITH BLUE GREY PU 119 GLOSS 750ML	8424214189542		
ESM STCO WITH BLUE GREY PU 119 GLOSS 4L	8424214189559		
ESM STCO WITH MEDIUM GREY PU 120 GLOSS 250ML	8424214189566		
ESM STCO WITH MEDIUM GREY PU 120 GLOSS 750ML	8424214189573		
ESM STCO WITH PU MEDIUM GREY 120 GLOSS 4L	8424214189580		
ESM STCO WITH BLACK PU 121 GLOSS 250ML	8424214189597		
ESM STCO WITH BLACK PU 121 GLOSS 750ML	8424214189603		
ESM STCO WITH BLACK PU 121 GLOSS 4L	8424214189610		
ESM STCO WITH SPRING GREEN PU 122 GLOSS 250ML	8424214189627		
ESM STCO WITH SPRING GREEN PU 122 GLOSS 750ML	8424214189634		
ESM STCO WITH SPRING GREEN PU 122 GLOSS 4L	8424214189641		
ESM STCO WITH GRASS GREEN PU 123 GLOSS 250ML	8424214189658		
ESM STCO WITH GRASS GREEN PU 123 GLOSS 750ML	8424214189665		
STCO WITH GRASS GREEN PU 123 GLOSS 4L	8424214189672		
STCO WITH SEA GREEN PU 124 GLOSS 250ML	8424214189733		
STCO WITH SEA GREEN PU 124 GLOSS 750ML	8424214189740		
STCO WITH SEA GREEN PU 124 GLOSS 4L	8424214189757		
STCO WITH PU GALICIA GREEN PU 125 GLOSS 250ML	8424214189764		
STCO WITH PU GALICIA GREEN PU 125 GLOSS 750ML	8424214189771		
STCO WITH PU GALICIA GREEN PU 125 GLOSS 4L	8424214189788		
STCO WITH PU FOG GREY 126 GLOSS 250ML	8424214189795		

7.WOOD TREATMENTS

WOOD SEALER PRIMER 5L	8432758192935
WOOD SEALER PRIMER 25L	8432758192942
WOOD SEALER PRIMER 0,375ML	8432758192959
WOOD SEALER PRIMER 0,750ML	8432758192966
WM VARNISH-DYE INC.BRILL.22 250ML	8424214144909
WM VARNISH-DYE INC.BRILL.22 750ML	8424214095577
WM VARNISH-DYE INC.BRILL.22 4L	8424214099926
WM VARNISH-TINT MAHOGANY 17 250ML	8424214144916
WM VARNISH-TINT MAHOGANY 17 750ML	8424214093207
WM VARNISH-TINT CHESTNUT 12 250ML	8424214144923
WM VARNISH-TINT CHESTNUT 12 750ML	8424214093214
WM VARNISH-TINT WALNUT OSC.16 250ML	8424214144930
WM WALNUT STAIN VARNISH-DARK WALNUT 16 750ML	8424214095522
WM VARNISH-STAIN OAK CLEAR13 250ML	8424214144947
WM VARNISH-STAIN OAK CLEAR13 750ML	8424214093238
WM VARNISH-STAIN OAK CLEAR13 4L	8424214181959
WM VARNISH-STAIN OAK OSC.14 250ML	8424214144954
WM VARNISH-OAK STAIN OSC.14 750ML	8424214095508
WM VARNISH-SAPELLE STAIN 21 250ML	8424214144961
WM VARNISH-SAPELLE STAIN 21 750ML	8424214095560
WM VARNISH-TEAK STAIN 20 250ML	8424214144978
WM VARNISH-TEAK STAIN 20 750ML	8424214095546
WM VARNISH-STAIN INC.SATIN.23 250ML	8424214144985
WM VARNISH-DYE INC.SATIN.23 750ML	8424214095584
WM VARNISH-DYE INC.SATIN.23 4L	8424214099940
WM VARNISH MAHOGANY SATIN STAIN 250ML	8424214144992
WM VARNISH MAHOGANY SATIN STAIN 750ML	8424214144336
WM WM VARNISH SATIN STAIN CHESTNUT 250ML	8424214145005

WM SATIN STAIN VARNISH BROWN 750ML	8424214144411	POOLS LIGHT BLUE CHLORINATED RUBBER 5KG	8424214091333
WM SATIN STAIN VARNISH DARK NOG.OSC 250ML	8424214145012	POOLS LIGHT MED. BLUE CHLORINATED RUBBER 15L	8424214222812
WM SATIN NOG. DARK TINT VARNISH 750ML	8424214144374	POOLS MED. BLUE CHLORINATED RUBBER 5KG	8424214099445
WM SATIN NOG. DARK TINT VARNISH 4L	8424214144381	POOLS BLUE CHLORINATED RUBBER 15L	8424214222829
WM SAT ROB. DARK TINT VARNISH 250ML	8424214145029	SPORT WHITE 4L	8424214147641
WM SATIN TINT VARNISH ROB OSC 750ML	8424214144459	SPORT WHITE 12L	8424214147634
WM SATIN TINT VARNISH SAPELLEY 250ML	8424214145036	SPORT TENNIS RED 640 4L	8424214147665
WM SATIN TINT VARNISH SAPELLEY 750ML	8424214144497	SPORT TENNIS RED 640 12L	8424214147658
WM INCOL. TINT VARNISH MAT.MATT24 250ML	8424214145043	SPORT FRONTON GREEN 660 4L	8424214147689
WM VARNISH INCOL.MATT24 750ML	8424214095591	SPORT GREEN FRONTON 660 12L	8424214147672
WM VARNISH INCOL.MATT24 4L	8424214099933	SPORT BLUE PADEL 620 4L	8424214147702
WOODMARK WATER VARNISH TR SATIN 2,5L	8424214212240	SPORT BLUE PADEL 620 12L	8424214147696
WOODMARK WATER VARNISH TR SATIN 750ML	8424214212257	ACRYLIC COURTS GREEN 4L	8424214148792
WOODMARK WATER VARNISH TR SATIN 250ML	8424214212264	ACRYLIC COURTS GREEN 12L	8424214148785
WM VARNISH SEA AND MOUNTAIN 750ML	8424214061039	ACRYLIC ACRYLIC GREY COURTS 4L	8424214155295
WM VARNISH SEA AND MOUNTAIN 4L	8424214061053	ACRYLIC GREY COURTS 12L	8424214155288
WM VARNISH PARQUET GLOSSY 750ML	8424214096192	ACRYLIC RED TENNIS COURTS 4L	8424214186268
WM VARNISH PARQUET GLOSSY 4L	8424214099452	ACRYLIC RED TENNIS COURTS 12L	8424214163009
WM VARNISH PARQUET SATIN 750ML	8424214117330	WHITE GRASS PAINT 12L	8424214145395
WM WM VARNISH PARQUET SATIN FINISH 4L	8424214117347		
WOODMARK TEAK OIL COLOURLESS 4L	8424124208364		
WOODMARK TEAK OIL COLOURLESS 750L	8424124208357		
WOODMARK TEAK OIL TEAK OIL 4L	8424124208326		
WOODMARK TEAKWOOD OIL FOR TEAK 750L	8424124208319		
WOODMARK TEAK OIL FOR TEAK HONEY 4L	8424124208340		
WOODMARK TEAK OIL FOR TEAK HONEY 750L	8424124208333		
WM BOTTOM PROTEC.INSECTICIDE 750ML	8424214198094		
WM FONDO PROTEC.INSECTICIDE 2,5L	8424214198100		
WM WATER BOTTOM TWP092i 750ML	8424214195468		
WM WATER BOTTOM TWP092i 2,5L	8424214195475		
WM LASUR SATIN 51 INCO 750ML	8424214179413		
WM LASUR SATIN 57 CAO B 750ML	8424214179512		
WM LASUR SATIN 60PINO 750ML	8424214179574		
WM LASUR SATIN 53 R.CL 750ML	8424214179437		
WM LASUR SATIN 55 TEAK 750ML	8424214179475		
WM LASUR SATIN 54 NOGA 750ML	8424214179451		
WM LASUR SATIN 56 OREG 750ML	8424214179499		
WM LASUR SATIN 58PALIS 750ML	8424214179536		
WM LASUR SATIN 59OAK 750ML	8424214179550		
WM LASUR SATIN 61EBANO 750ML	8424214179598		
WM LASUR SATIN 51 INCOLO 4L	8424214179420		
WM LASUR SATIN 57 MAHOGANY 4L	8424214179529		
WM LASUR SATIN 60 PINE 4L	8424214179581		
WM LASUR SATIN 53 R.CL 4L	8424214179444		
WM LASUR SATIN 55 TEAK 4L	8424214179482		
WM LASUR SATIN 54 WALNUT 4L	8424214179468		
WM LASUR SATIN 56 OREGON 4L	8424214179505		
WM LASUR SATIN 58PALISAN 4L	8424214179543		
WM LASUR SATIN 59ROBLE 4L	8424214179567		
WM LASUR SATIN 61 EBANO 4L	8424214179604		
WM LASUR MATE 52 INC 750M	8424214179123		
WM LASUR MATE 57 MAHOGANY 750M	8424214179222		
WM LASUR MATE 60 PINE 750M	8424214179284		
WM LASUR MATE 53R.CLAR 750M	8424214179147		
WM LASUR MATT 55 TEAK 750M	8424214179185		
WM LASUR MATT 54 WALNUT 750M	8424214179161		
WM LASUR MATT 56ORGON 750M	8424214179208		
WM MATTE LASUR 58 PALIS 750M	8424214179246		
WM MATTE LASUR 59 OAK 750M	8424214179260		
WM MATTE LASUR 61 EBONY 750M	8424214179307		
WM MATTE LASUR 52 INCOLO. 4L	8424214179130		
WM LASUR MATT 57 MAHOGANY 4L	8424214179239		
WM LASUR MATT 60 PINE 4L	8424214179291		
WM LASUR MATT 53R.CLEAR 4L	8424214179154		
WM LASUR MATT 55 TEAK 4L	8424214179192		
WM LASUR MATT 54 WALNUT 4L	8424214179178		
WM LASUR MATT 56ORGON 4L	8424214179215		
WM LASUR MATT 58 PALIS 4L	8424214179253		
WM LASUR MATT 59 OAK 4L	8424214179277		
WM LASUR MATT 61 EBONY 4L	8424214179314		
WOODMARK LASUR AGUA CASTANO SAT 750ml	8428092895526		
WOODMARK LASUR AGUA CASTANO SAT 4L	8428092895540		
WOODMARK LASUR AGUA NOGAL OSCU SAT 750ml	8428092895564		
WOODMARK LASUR AGUA NOGAL OSCURO SAT 4L	8428092895595		
8428092895595			
WOODMARK LASUR AGUA ROBLE SAT 750ml	8428092895489		
WOODMARK LASUR AGUA ROBLE SAT 4L	8428092895502		
WOODMARK LASUR AGUA TEKA SAT 750ml	8428092895441		
WOODMARK LASUR AGUA TEKA SAT 4L	8428092895465		
WOODMARK LASUR AGUA VERDE SAT 750ml	8428092895656		
WOODMARK LASUR AGUA VERDE SAT 4L	8428092895670		
WOODMARK LASUR AGUA BLANCO SAT 750ml	8428092895618		
WOODMARK LASUR WATER LASUR WHITE SAT 4L	8428092895632		
WOODMARK WATER LASUR COLOURLESS SAT 750ml	8428092895342		
WOODMARK LASUR WATER WATER INCOLORO SAT 4L	8428092895380		
WOODMARK LASURO AGUA INCOLORO MATE 750ml	8428092895403		
WOODMARK LASURO AGUA INCOLORO MATE 4L	8428092895427		

8.SPORTS FACILITIES

SWIMMING POOLS WHITE ACRYLIC 4L	8424214119471
SWIMMING POOLS WHITE ACRYLIC 15L	8424214146439
SWIMMING POOLS BLUE ACRYLIC 4L	8424214146446
POOLS ACRYLIC BLUE 15L	8424214146453
POOLS ACRYLIC BLUE MEDITERRANEAN BLUE 4L	8424214119051
POOLS ACRYLIC BLUE MEDITERRANEAN BLUE 15L	8424214146460
SWIMMING POOLS CHLORINATED RUBBER WHITE 5KG	8424214091357

9.SPRAY PAINT

SPRAY PAINT IMPR.ANTIO. GREY 400ml	8424214207376
SPRAY IMPR.ANTIO. GREY 200ml	8424214207420
SPRAY IMPR.ANTIO. RED 400ml	8424214207383
SPRAY IMPR.L.PLAS.400ml 0002	8424214207390
SPRAY IMPR.POREX.400ml 0003	8424214207406
SPRAY AMARIL.SOL 200ml 1021	8424214206621
SPRAY FL.YELLOW SPRAY 200ml 1026	8424214207147
ORANGE SPRAY 200 ml 2004	8424214206638
FIRE RED SPRAY 200ml 3000	8424214206645
RED SPRAY RUBI 200 ml 3003	8424214206652
SPRAY RED BURDE 200ml 3004	8424214206669
SPRAY LIA BLUE 200ml 4005	8424214206676
SPRAY BLUE MARINE 200ml 5002	8424214206683
SPRAY BLUE GENCI 200ml 5010	8424214206690
SPRAY BLUE CELES 200ml 5015	8424214206706
SPRAY GREEN LEAF 200ml 6002	8424214206713
SPRAY VERD MUSGO 200ml 6005	8424214206720
SPRAY VERD MAQUI 200ml 6011	8424214206734
SPRAY VERD AMARI 200ml 6018	8424214206744
SPRAY FLUO.GREEN SPRAY 200ml 6038	8424214207161
GREY SPRAY IRON 200ml 7011	8424214206751
GREY SPRAY ANTRA 200ml 7016	8424214206768
GREY SPRAY GUIJA 200ml 7032	8424214206775
GREY SPRAY LUMIN 200ml 7035	8424214206782
SPRAY BROWN CHO 200ml 8017	8424214206799
SPRAY BLACK SHINE 200ml 9005	8424214206805
SPRAY BLACK MATTE 200ml 9006	8424214206591
SPRAY BLACK SAT. 200ml 9007	8424214208112
SPRAY WHITE BRI 200ml 9010	8424214206812
SPRAY WHITE MATTE 200ml 9011	8424214206607
SPRAY WHITE SAT.200ml 9012	8424214208105
SPRAY AMARIL.SOL.400ml 1021	8424214206850
SPRAY FL.AMARILL.400ml 1026	8424214207178
SPRAY ORANGE 400 ml 2004	8424214206867
SPRAY FL.RED SE.400ml 2005	8424214207185
SPRAY RED FIRE SPRAY 400ml 3000	8424214206874
SPRAY RED RUBI 400 ml 3003	8424214206881
SPRAY RED BURDE.400ml 3004	8424214206898
SPRAY BLUE LILA.400ml 4005	8424214206904
SPRAY BLUE MARIN.400ml 5002	8424214206911
SPRAY BLUE GENCI.400ml 5010	8424214206928
SPRAY BLUE CELES.400ml 5015	8424214206935
SPRAY GREEN LEAF 400ml 6002	8424214206942
SPRAY GREEN MUSGO 400ml 6005	8424214206911
SPRAY GREEN MAQUI.400ml 6011	8424214206966
SPRAY VERD AMARI.400ml 6018	8424214206973
SPRAY FL.VERDE 400ml 6038	8424214207222
SPRAY GRIS HIERR.400ml 7011	8424214206980
GRAY SPRAY ANTRA.400ml 7016	8424214206997
GRAY SPRAY GUIJA.400ml 7032	8424214207000
SPRAY GRIS LUMIN.400ml 7035	8424214207017
SPRAY BROWN CHO.400ml 8017	8424214207024
SPRAY BLACK BRILLIANT.400ml 9005	8424214207031
SPRAY BLACK MATTE.400ml 9006	8424214206829
SPRAY BLACK SAT.400ml 9007	8424214208099
SPRAY WHITE BRI.400ml 9010	8424214207048
SPRAY WHITE MAT.400ml 9011	8424214206836
SPRAY WHITE SAT.400ml 9012	8424214208083
SPRAY ACR.BLACK BR.0045 400	8424214207086
SPRAY ACR.BLACK SPRAY MAT 0046 400	8424214207079
SPRAY ACR BCO BR 0047 400ml	8424214207093
SPRAY ACR.SILVER 0048 400ml	8424214207055
SPRAY ACR.BCO.SAT. 0051 400	8424214208104
SPRAY ACR.BLACK ACR.BCO.SAT 052 400	8424214208111
SPRAY FORGE PAVONADO PAVONADO BLACK 400ml	8424124208487
SPRAY FORGE PAVONADO GREY 400ml	8424124208494
SPRAY SILVER META.200ml 0006	8424214207239
SPRAY COPPER MET. 200ml 0007	8424214207253
SPRAY GOLD METAL.400ml 0005	8424214207277
SPRAY GOLD METAL 200ml 0005	8424214207246
SPRAY GOLD EFFECT.400ml 0026	8424214207291
SPRAY EFFECT CRO.400ml 0027	8424214207307
SPRAY ZINC -ALU. 400ml 0008	8424214207123
ZINC SPRAY 400 ml 0009	8424214207130
SPRAY GOTELÉ 400ml	8424214208289

SPRAY ELECTRODOM.400ml 0025	8424214207321
SPRAY ELECTRODOM.200ml 0025	8424214207314
WHITE VINYL SPRAY 400ml	8424124208524
BLACK VINYL SPRAY 400ml	8424124208517
RED VINYL SPRAY 400ml	8424124208500
SPRAY BLACK 600th 400ml 0015	8424214207116
SILVER SPRAY 600th 400ml 0016	8424214207109
ANTI-SLIP SPRAY 400ml	8424124208449
FLUO.RED 200ml 2005	8424214207154
FLUOR RED SPRAY.500ml 0043	8424214207215
SPRAY AMARI.FLUOR 500ml 0044	8424214207208
SPRAY GREEN FLUOR 500ml 0042	8424214207222
SPRAY AMARI.SEÑA 200ml 1003	8424214206614
SPRAY AMARI.SEÑA 400ml 1003	8424214206843
SPRAY FOTOLUMINISCENTE	8424124208470
SPRAY ANTI-SPOT SPRAY 500ml	8424214207413
SPRAY MULTI-PURPOSE OIL 200ml	8424124208432
SPRAY MULTI-PURPOSE OIL 400ml	8424124208463
SPRAY BARNIZ BR.200ml 0010	8424214207338
VARNISH SPRAY MAT.200ml 0012	8424214207345
VARNISH SPRAY BRI.400ml 0010	8424214207352
VARNISH SPRAY MAT.400ml 0012	8424214207369

10.FILLERS AND PUTTIES

TKROMPLAST STANDARD 1K	8424214116074
TKROMPLAST STANDARD 5K	8424214116173
TKROMPLAST STANDARD 15K	8424214116180
FINURPLAST STANDARD POWDER 15K	8424214208120
TKROMPLAST RENOVATION 15K	8424214116081
FINURPLAST RENOVATION REN POWDER 15K	8424214208137
TKROMPLAST MAQ THIN FILM 15K	8412131206572
TKROMPLAST MAQ THICK LAYER 15K THICK COAT 15K	8412131206589
TKROMPLAST EXTERIOR FACADES 5KG	8424214116203
TKROMPLAST EXTERIOR FACADES 15 KG	8424214116111
TKROMPLAST EXTERIOR 5K	8424214116197
TKROMPLAST EXTERIOR 15K	8424214116098
FINURPLAST EXTERIOR 20KG	8424214234280
PLASTER PREPARATION 1K	8412131665003
PLASTER PREPARATION 1K	8412131665010
QUICK CEMENT 1,5K	8412131664990
WHITE CEMENT PREPARATION 1,5K	8412131664976
GLUE CEMENT 1,5K	8412131664983
TKROMPLAST PUTTY STANDARD INTERIOR 1K	8424214116241
TKROMPLAST PUTTY STANDARD INTERIOR 5K	8424214116234
TKROMPLAST PUTTY STANDARD INTERIOR 15K	8424214201336
FINURPLAST STANDARD READY-TO-USE 20K	8424124208098
FINURPLAST RENOVATION READY-TO-USE 20K	8424124208081
TKROMPLAST STANDARD PUTTY EXTERIORS 1K	8424214116159
TKROMPLAST STANDARD EXTERIOR PUTTY 5K	8424214201329
TKROMPLAST REPAIR ELASTIC 200ML	8424214116128
TKROMPLAST REPAIR ELASTIC 750ML	8424214116265
TKROMPLAST TAPAGRIETAS RÁPIDO 200ML	8424214116210
TKROMPLAST REPARADOR ELÁSTICO 4K	8424214201312
TKROMPLAST REPARADOR MULTIFUNCION 200ML	8424214116227
TKROMPLAST JUNTAS TILE GROUT 200ML	8424214116135
TKROMPLAST NAIL FREE FIXING 200ML	8424214116166
WHITE UNIVERSAL SILICONE 300ML	8424214205082
TRANSPARENT UNIVERSAL SILICONE 300ML	8424214205099
SILICONE NAIL FREE FIXING 300ML	8424214205273
SILICONE CRACK FILLER 300ML	8424214205129
MOUNTING ADHESIVE 300ML	8424214205266
FULL GRIP ADHESIVE 300ML	8424124210381
LIGHT GREY WOOD SEALER 300ML	8424124210404
DARK GREY WOOD SEALER 300ML	8424124210411
SAPELLY WOOD SEALER 300ML	8424124210459
SEALER WHITE WOOD 300ML	8424124210398
BEECH WOOD SEALER 300ML	8424124210435
PINE WOOD SEALER 300ML	8424124210428
OAK WOOD SEALER 300ML	8424124210442

11.FIXATIVES AND ADDITIVES

LATEX 1L	8424214188415
LATEX 4L	8424214188422
FIXATIVE F-1 1L	8424214096093
FIXATIVE F-1 5L	8424214096116
FIXED F-1 15L	8424214225080
FIXED F-4 1L	8424214095928
FIXED F-4 5L	8424214095935
FIXED F-4 15L	8424214225097
FIX F-10 WHITE 1L	8424214198841
FIX F-10 WHITE 5L	8424214198858
FIX F-10 WHITE 15L	8424214225103
PRIMER SEALER-SANITIZER 1L	8424214136683
PRIMER SEALER-SANITIZER 5L	8424214099643
PRIMER SEALER-SANITISING PRIMER 15L	8424214230701
SILICATE CEMENT PRIMER 4L	8424214115220
SILICATE CEMENT PRIMER 15L	8424214115237
SILICATE PLASTER PRIMER 4L	8424214115251
SILICATE PLASTER PRIMER 15L	8424214115244
SUPERLITE EXTERIOR PRIMER 4L	8424214139325
SUPERLITE EXTERIOR PRIMER 15L	8424214121467
PLIOTEC WATER FIXATIVE 4L	8424214143452
PLIOTEC WATER FIXATIVE 12L	8424214143315
KIT-EPOXY PRIMER WATER WHITE H (3C) 16KG	8424214149485
REINFORCING CLEANER 1L	8424214213377
REINFORCING CLEANER 5L	8424214213384

25L REINFORCING CLEANER	8424214213391
-------------------------	---------------

12.DYES

DYE-WATER 910 BLACK 50ML	8424214040027
DYE-WATER 910 BLACK 250ML	8424214040171
DYE-WATER 910 BLACK 1L	8424214040324
DYE-WATER 930 LIGHT YELLOW 50ML	8424214040058
DYE-WATER 930 LIGHT YELLOW 250ML	8424214040201
DYE-WATER 930 LIGHT YELLOW 1L	8424214040355
DYE-WATER 931 MEDIUM YELLOW 50ML	8424214040065
DYE-WATER 931 MEDIUM YELLOW 250ML	8424214010211
DYE-WATER 931 MEDIUM YELLOW 1L	8424214040362
DYE-WATER 932 ORANGE 50ML	8424214040096
DYE-WATER 932 ORANGE 250ML	8424214040249
DYE-WATER 932 ORANGE 1L	8424214040393
DYE-WATER 934 BROWN 50ML	8424214040034
DYE-WATER 934 BROWN 250ML	8424214040188
DYE-WATER 934 BROWN 1L	8424214040331
DYE-WATER 933 OCHRE 50ML	8424214040003
DYE-WATER 933 OCHRE 250ML	8424214040157
DYE-WATER 933 OCHRE 1L	8424214040300
DYE-WATER 940 VERMILION 50ML	8424214040102
DYE-WATER 940 VERMILION 250ML	8424214040256
DYE-WATER 940 VERMILION 1L	8424214040409
DYE-WATER 942 RUSTY RED 50ML	8424214040010
DYE-WATER 942 RUST RED 250ML	8424214040164
DYE-WATER 942 RUST RED 1L	8424214040317
DYE-WATER 941 DEEP RED 50ML	8424214040119
DYE-WATER 941 DEEP RED 250ML	8424214040263
DYE-WATER 941 DEEP RED 1L	8424214040416
DYE-WATER 950 BRIGHT GREEN 50ML	8424214040072
DYE-WATER 950 BRIGHT GREEN 250ML	8424214040225
DYE-WATER 950 BRILLIANT GREEN 1L	8424214040379
DYE-WATER 951 EMERALD GREEN 50ML	8424214040089
DYE-WATER 951 EMERALD GREEN 250ML	8424214040232
DYE-WATER 951 EMERALD GREEN 1L	8424214040386
DYE-WATER 920 BLUE 50ML	8424214040041
DYE-WATER 920 BLUE 250ML	8424214040195
DYE-WATER 920 BLUE 1L	8424214040348
UNIVERSAL 791 BLACK 50ML	8424214091500
UNIVERSAL 791 BLACK 500ML	8424214093313
UNIVERSAL 794 LIGHT YELLOW 50ML	8424214091524
UNIVERSAL 794 LIGHT YELLOW 500ML	8424214093337
UNIVERSAL 795 MEDIUM YELLOW 50ML	8424214091531
UNIVERSAL 795 MEDIUM YELLOW 500ML	8424214093344
UNIVERSAL 797 BROWN 50ML	8424214091555
UNIVERSAL 797 BROWN 500ML	8424214093368
UNIVERSAL 796 OCHRE 50ML	8424214091548
UNIVERSAL 796 OCHRE 500ML	8424214093351
UNIVERSAL 790 VERMILION 50ML	8424214091494
UNIVERSAL 790 VERMILION 500ML	8424214093306
UNIVERSAL 798 RUST RED 50ML	8424214091579
UNIVERSAL 798 RUST RED 500ML	8424214093382
UNIVERSAL 792 EMERALD GREEN 50ML	8424214091517
UNIVERSAL 792 EMERALD GREEN 500ML	8424214093320
UNIVERSAL 793 OLIVE GREEN 50ML	8424214091562
UNIVERSAL 793 OLIVE GREEN 500ML	8424214093375
UNIVERSAL 789 BLUE 50ML	8424214091487
UNIVERSAL 789 BLUE 500ML	8424214093290
UNIVERSAL 799 VIOLET 50ML	8424214091586
UNIVERSAL 799 VIOLET 500ML	8424214093399

13.SOLVENTS

SOLVENT 302 NC UNIVERSAL N/F 500ML	8424214154045
SOLVENT 302 NC UNIVERSAL N/F 1L	8424214154038
SOLVENT 302 NC UNIVERSAL N/F 5L	8424214154021
SOLVENT 302 NC UNIVERSAL N/F 25L	8424214135167
SOLVENT 310 PU 1L	8424214092057
SOLVENT 310 PU 5L	8424214092125
SOLVENT 310 PU 25L	8424214092231
SOLVENT 345 FATTY STCO 500ML	8424214092033
SOLVENT 345 FATTY STCO 1L	8424214092095
SOLVENT 345 FATTY STCO 5L	8424214092200
SOLVENT 345 STCO GREASY 25L	8424214092316
SOLVENT 350 CHLORINATED RUBBER 1L	8424214092378
SOLVENT 350 CHLORINATED RUBBER 5L	8424214092460
SOLVENT 350 CHLORINATED RUBBER 25L	8424214092545
SOLVENT 355 SYNTEx ODORLESS 500ML	8424214129838
SOLVENT 355 SYNTEx ODORLESS 1L	8424214129869
SOLVENT 355 SYNTEx ODORLESS 5L	8424214129852
SOLVENT 355 SYNTEx ODORLESS 25L	8424214129845
SOLVENT 376 ANTI RUST ENAMEL 1L	8424214138663
SOLVENT 376 ANTI RUST ENAMEL 5L	8424214160565
TKROM PROFESSIONAL CLEANER 500ml	8424124208623
TKROM PROFESSIONAL CLEANER 1L	8424124208401
TKROM PROFESSIONAL CLEANER 5L	8424124208647
SIMILAR TURPENTINE 500ML	8424124208593
SIMILAR TURPENTINE 1L	8424124208609
LIQUID PAINT STRIPPER 5L	3700202202031
LIQUID PAINT STRIPPER 1L	8424124208012
LIQUID PAINT STRIPPER 0,5L	8424124208005
PAINT STRIPPER GEL 5L	3700202202017
PAINT STRIPPER GEL 1L	8424124207985
PAINT STRIPPER GEL 0,5L	8424124207978

CARTAS TKROMATIC

TKROM TINTED COLOR CHART



CÓDIGO:
40125

EAN:
8424214147351

TKROM COLOR ADVANCED CHART



CÓDIGO:
40159

EAN:
8424214213629


TKROM ADVANCED WHITES CHART



CÓDIGO:
40107

EAN:
8424214147122

ARMONIA COLECCIÓN STOCK



CÓDIGO:
40138

EAN:
8424214194225


ESMALTE ACRÍLICO MULTISUPERFICIE CHART



CÓDIGO:
40144

EAN:
8424214202166

COLECCIÓN ARMONIA 120 COLOR CHART



CÓDIGO:
40136

EAN:
8424214190821

TKROM ESMALTES CHART



CÓDIGO:
40135

EAN:
8424214190050

TKROM ANTIOXIDANTE Y FORJA CHART



CÓDIGO:
40146

EAN:
8424214203514

FACADES COLOR SWATCH CHART



CÓDIGO:
40156

EAN:
8424214210918

FACADES CHART



CÓDIGO:
40134

EAN:
8424214147245

TKROM SUPERCARRARA CHART



CÓDIGO:
40132

EAN:
8424214185476

REVESTIMIENTO PÉTREO COLOR SWATCH CHART



CÓDIGO:
40142

EAN:
8424214199305

WOODMARK VARNISHES AND STAINS CHART



CÓDIGO:
40139

EAN:
8424214194928

IMPERMEABILIZANTES CHART



CÓDIGO:
40147

EAN:
8424214203545

CHART TKROM TINTED COLOR



CÓDIGO:
40124

EAN:
8424214147344

TKROM TODO-SATINADO COLOR SWATCH CHART



CÓDIGO:
40145

EAN:
8424214202173


RAL K-7 COLOR SWATCH CHART



CÓDIGO:
40124

EAN:
8424214147344

TKROM SPRAY CHART



CÓDIGO:
0110003002000

EAN:
8424214190050

BASES TKROMATIC

TINT BASES	TKROM FACHADAS	TKROM UV EXTRA	TKROM BLANCOS ADVANCE	TKROM COLOR ADVANCE
REVESTIMIENTO LISO PÉTREO	✓	✓	✓	✓
REVESTIMIENTO LISO PÉTREO SILOXANO	✓	✓	✓	✓
SUPERCARRARA LISO	✓	✓	✓	✓
SUPERCARRARA LISO SILOXANO	✓	✓	✓	✓
SUPERCARRARA LISO EXTRA 10	✓	✓	✓	✓
SUPERCARRARA ACRÍLICO MURAL	✓	✓	✓	✓
PINTURA AL SILICATO TKROM SIL	✓	✓	✓	✓
SUPERCARRARA HIDROSUPERLITE	✓	✓	✓	✓
SUPERLITE EXTERIOR	✓	•	•	•
SUPERCARRARA ELÁSTICO	✓	✓	✓	✓
SUPERCARRARA ELÁSTICO EXTRA 10	✓	✓	✓	✓
SUPERCARRARA RUGOSO	✓	✓	✓	✓
SUPERCARRARA ELÁSTICO RUGOSO	✓	✓	✓	✓
MATE TK200	•	•	✓	✓
MATE OLIMPO	•	•	✓	✓
MATE DAMASCO	•	•	✓	✓
CARTHAGO EXTRA MATE	•	•	✓	✓
ULTRAMAT	•	•	✓	✓
COSMOS EXTRA MATE	•	•	✓	✓
MATE CONFORT	•	•	✓	✓
MATE EXCELENT	•	•	✓	✓
SATINADO EXCELENT	•	•	✓	✓
ARMONIA MONOCAPA	•	•	✓	✓
SALUD +	•	•	✓	✓
ESMALTE MULTISUPERFICIE	✓	✓	✓	✓
ESMALTE SINTÉTICO CON POLIURETANO	•	•	✓	✓

RAL CHART



RAL 1000
Beige Verdoso
Pantone ≈5425

RAL 1001
Beige
Pantone ≈728

RAL 1002
Amarillo arena
Pantone ≈465

RAL 1003
Amarillo señales
Pantone ≈137

RAL 1004
Amarillo oro
Pantone ≈124

RAL 1005
Amarillo miel
Pantone ≈131



RAL 1015
Marfil claro
Pantone ≈726

RAL 1016
Amarillo azufre
Pantone ≈604

RAL 1017
Amarillo azafrán
Pantone ≈150

RAL 1018
Amarillo de zinc
Pantone ≈123

RAL 1019
Beige agrisado
Pantone ≈479

RAL 1020
Amarillo oliva
Pantone ≈4505



RAL 1032
Amarillo retama
Pantone ≈124

RAL 1033
Amarillo dalia
Pantone ≈1375

RAL 1034
Amarillo pastel
Pantone ≈715

RAL 1035
Beige perlado

RAL 1036
Oro perlado

RAL 1037
Amarillo sol
Pantone ≈715



RAL 2007
Naranja claro Br.
Pantone ≈172

RAL 2008
Rojo claro
anaranjado

RAL 2009
Naranja tráfico

RAL 2010
Naranja señales
Pantone ≈1665

RAL 2011
Naranja intenso
Pantone ≈1585

RAL 2012
Naranja salmón
Pantone ≈178



RAL 3005
Rojo vino
Pantone ≈490

RAL 3007
Rojo negruzco
Pantone ≈4975

RAL 3009
Rojo óxido
Pantone ≈181

RAL 3011
Rojo pardo
Pantone ≈1815

RAL 3012
Rojo beige
Pantone ≈729

RAL 3013
Rojo tomate
Pantone ≈484



RAL 3022
Rojo salmón
Pantone ≈178

RAL 3024
Rojo brillante

RAL 3026
Rojo claro
brillante

RAL 3027
Rojo frambuesa
Pantone ≈186

RAL 3028
Rojo puro

RAL 3031
Rojo oriente
Pantone ≈1805



RAL 4005
Lila azulado
Pantone ≈667

RAL 4006
Púrpura tráfico
Pantone ≈465

RAL 4007
Violeta púrpura

RAL 4008
Violeta señales
Pantone ≈689

RAL 4009
Violeta pastel
≈Cool Grey

RAL 4010
Magenta tele



RAL 5004
Azul negruzco
Pantone ≈Black6

RAL 5005
Azul señales
Pantone ≈294

RAL 5007
Azul brillante
Pantone ≈5405

RAL 5008
Azul grisáceo
Pantone ≈433

RAL 5009
Azul azul
Pantone ≈3025

RAL 5010
Azul genciana
Pantone ≈541



RAL 5018
Azul turquesa
Pantone ≈3145

RAL 5019
Azul capri
Pantone ≈301

RAL 5020
Azul océano
Pantone ≈3155

RAL 5021
Azul agua
Pantone ≈3155

RAL 5022
Azul noche
Pantone ≈276

RAL 5023
Azul lejanía
Pantone ≈5405

The colors shown on this chart are approximate.

To make an exact color consultation, use the physical color chart TKROM RAL.

					
RAL 1006 Amarillo maíz Pantone ≈144	RAL 1007 Amarillo narciso Pantone ≈144	RAL 1011 Beige pardo Pantone ≈723	RAL 1012 Amarillo limón Pantone ≈612	RAL 1013 Blanco perla Pantone ≈468	RAL 1014 Marfil Pantone ≈467
					
RAL 1021 Amarillo colza Pantone ≈1235	RAL 1023 Amarillo tráfico Pantone ≈1235	RAL 1024 Amarillo ocre Pantone ≈722	RAL 1026 Amarillo brillante	RAL 1027 Amarillo curry Pantone ≈1255	RAL 1028 Amarillo melón Pantone ≈137
					
RAL 2000 Amarillo naranja Pantone ≈152	RAL 2001 Rojo anaranjado Pantone ≈173	RAL 2002 Naranja sangre Pantone ≈485	RAL 2003 Naranja pálido Pantone ≈164	RAL 2004 Naranja puro Pantone ≈1655	RAL 2005 Naranja brillante Pantone ≈1585
					
RAL 2013 Naranja perlado	RAL 3000 Rojo vivo Pantone ≈484	RAL 3001 Rojo señales Pantone ≈484	RAL 3002 Rojo carmín Pantone ≈187	RAL 3003 Rojo rubí Pantone ≈704	RAL 3004 Rojo púrpura Pantone ≈491
					
RAL 3014 Rojo viejo Pantone ≈709	RAL 3015 Rosa claro Pantone ≈197	RAL 3016 Rojo coral Pantone ≈180	RAL 3017 Rosa Pantone ≈1878	RAL 3018 Rojo fresa Pantone ≈710	RAL 3020 Rojo tráfico Pantone ≈485
					
RAL 1032 Rojo rubí perlado	RAL 1033 Rosa perlado	RAL 4001 Rojo lila Pantone ≈682	RAL 4002 Rojo violeta Pantone ≈201	RAL 4003 Violeta érica Pantone ≈205	RAL 4004 Burdeos Pantone ≈505
					
RAL 4011 Violeta perlado	RAL 4012 Morado perlado	RAL 5000 Azul violeta Pantone ≈533	RAL 5001 Azul verdoso Pantone ≈302	RAL 5002 Azul ultramar Pantone ≈288	RAL 5003 Azul zafiro Pantone ≈540
					
RAL 5011 Azul acero Pantone ≈289	RAL 5012 Azul luminoso Pantone ≈307	RAL 5013 Azul cobalto Pantone ≈5255	RAL 5014 Azul olombino Pantone ≈646	RAL 5015 Azul celeste Pantone ≈3015	RAL 5017 Azul tráfico Pantone ≈2945
					
RAL 5024 Azul pastel Pantone ≈5483	RAL 5025 Gencian perlado	RAL 5026 Azul noche perlado	RAL65000 Verde patina Pantone ≈568	RAL 6001 Verde esmeralda Pantone ≈349	RAL 6002 Verde hoja Pantone ≈349

RAL CHART



RAL 6003
Verde Oliva
Pantone≈448

RAL 6004
Verde azulado
Pantone≈316

RAL 6005
Verde Musgo
Pantone≈3308

RAL 6006
Oliva Grisáceo
Pantone≈Black

RAL 6007
Verde Botella
Pantone≈5605

RAL 6008
Verde Parduzco
Pantone≈Black4



RAL 6015
Oliva Negruzco
Pantone≈426

RAL 6016
Verde Turquesa
Pantone≈342

RAL 6017
Verde Mayo
Pantone≈364

RAL 6018
Verde Amarillento
Pantone≈363

RAL 6019
Verde Blanco
Pantone≈557

RAL 6020
Verde Cromo
Pantone≈5535



RAL 6028
Vere Pino
Pantone≈3305

RAL 6029
Verde Menta
Pantone≈349

RAL 6032
Verde Señales
Pantone≈3288

RAL 6033
Turquesa Menta
Pantone≈569

RAL 6034
Turquesa Pastel
Pantone≈624

RAL 6035
Verde Perlado



RAL 7003
Gris musgo
Pantone ≈417

RAL 7004
Gris señales
Pantone ≈423

RAL 7005
Gris ratón
Pantone ≈431

RAL 7006
Gris beige
≈Warm Grey 11

RAL 7008
Gris caqui
Pantone ≈463

RAL 7009
Gris verdoso
Pantone ≈405



RAL 7021
Gris negruzco
Pantone ≈419

RAL 7022
Gris sombra
Pantone ≈465

RAL 7023
Gris hormigón
Pantone ≈424

RAL 7024
Gris grafito
Pantone ≈432

RAL 7026
Gris granito
Pantone ≈Black7

RAL 7030
Gris piedra
Pantone ≈416



RAL 7037
Gris polvo
Pantone ≈424

RAL 7038
Gris ágata
Pantone ≈429

RAL 7039
Gris cuarzo
Pantone ≈431

RAL 7040
Gris ventana
Pantone ≈423

RAL 7042
Gris tráfico A
Pantone ≈430

RAL 7043
Gris tráfico B
Pantone ≈446



RAL 8001
Pardo ocre
Pantone ≈471

RAL 8002
Marrón señales
Pantone ≈478

RAL 8003
Pardo arcilla
Pantone ≈4635

RAL 8004
Pardo cobre
Pantone ≈4635

RAL 8007
Pardo corzo
Pantone ≈478

RAL 8008
Pardo oliva
Pantone ≈4695



RAL 8019
Pardo grisáceo
Pantone ≈412

RAL 8022
Pardo negruzco
Pantone ≈Black6

RAL 8023
Pardo anaranjado
Pantone ≈471

RAL 8024
Pardo beige
Pantone ≈4705

RAL 8025
Pardo pálido
Pantone ≈4705

RAL 8028
Marrón tierra
Pantone ≈4695



RAL 9006
Aluminio blanco

RAL 9007
Aluminio gris

RAL 9010
Blanco puro
≈Cool Grey 1

RAL 9011
Negro grafito
Pantone ≈Black6

RAL 9016
Blanco tráfico
Pantone ≈705


RAL 9017
Negro tráfico
Pantone ≈Black

The colors shown on this chart are approximate.
To make an exact color consultation, use the physical color chart TKROM RAL.

					
RAL 6009 Verde Abeto Pantone=Black4	RAL 6010 Beige Verdoso Pantone=Black4	RAL 6011 Beige Verdoso Pantone=Black4	RAL 6012 Beige Verdoso Pantone=Black4	RAL 6013 Beige Verdoso Pantone=Black4	RAL 6014 Beige Verdoso Pantone=Black4
					
RAL 6021 Verde Pálido Pantone=624	RAL 6022 Oliva Parduzco Pantone=Black2	RAL 6024 Verde tráfico Pantone=348	RAL 6025 Verde Helecho Pantone=371	RAL 6026 Verde Ópalo Pantone=2735	RAL 6027 Verde Luminiso Pantone=631
					
RAL 6036 Verde Ópalo Perlado	RAL 6037 Verde Puro	RAL 6038 Verde Brillante	RAL 7000 Gris Ardilla Pantone=424	RAL 7001 Gris Plata Pantone=444	RAL 7002 Gris Oliva Pantone=Warm Grey 10
					
RAL 7010 Gris lona Pantone ≈5477	RAL 7011 Gris hierro Pantone ≈5477	RAL 7012 Gris basalto Pantone ≈445	RAL 7013 Gris parduzco Pantone ≈449	RAL 7015 Gris pizarra Pantone ≈446	RAL 7016 Gris antracita Pantone ≈433
					
RAL 7031 Gris azulado Pantone ≈445	RAL 7032 Gris guijarro ≈Warm Grey 5	RAL 7033 Gris cemento Pantone ≈5625	RAL 7034 Gris amarillento ≈Warm Grey 8	RAL 7035 Gris luminoso Pantone ≈421	RAL 7036 Gris platino ≈Cool Grey 8
					
RAL 7044 Gris seda	RAL 7045 Gris tele 1	RAL 7046 Gris tele 2	RAL 7047 Gris tele 4	RAL 7048 Gris musgo perlado	RAL 8000 Pardo verdoso Pantone ≈464
					
RAL 8011 Pardo nuez Pantone ≈477	RAL 8012 Pardo rojo Pantone ≈175	RAL 8014 Sepia Pantone ≈4695	RAL 8015 Castaño Pantone ≈175	RAL 8016 Caoba Pantone ≈4695	RAL 8017 Chocolate Pantone ≈497
					
RAL 8029 Cobre perlado	RAL 9001 Blanco crema ≈Warm Grey 1	RAL 9002 Blanco grisáceo Pantone ≈420	RAL 9003 Blanco señales Pantone ≈705	RAL 9004 Negro señales Pantone ≈Balck6	RAL 9005 Negro intenso Pantone ≈Black
					
RAL 9018 Blanco papiro Pantone ≈428	RAL 9022 Gris claro perlado	RAL 9023 Gris oscuro perlado			

RSC 2023

Discover all the Corporate Social Responsibility actions we carry out.



28%
Self-consumption



100%
Waste recycled



26%
Carbon footprint reduction



100%
Contracts indefinite contracts



Scan the QR code and download our Corporate Social Responsibility report.




LOCATOR POINTS OF SALE

The best team of painting and decoration professionals to help you find the best solutions.



Scan the QR code and enter our search engine to locate your nearest point of sale.





Edición 2024



C/Londres, 13
Pol. Industrial Cabezo Beaza
30353 Cartagena, Murcia
T: +34 968 089000

tkrom.com



grupo
tkrom[®]